(OLD COURSE)

21/11/2014

QP Code:14297

(3 Hours) Total Marks: 100

## N. B.: (1) Question 1 is compulsory.

- (2) Answer any three from Question 2 to 5
- (3) Figures to the right indicate full marks.
- (4) Draw neat labelled diagrams wherever necessary.
- 1. (a) If  $\overline{F} = (y^2 \cos x + z^3) \overline{i} + (2y \sin x 4) \overline{J} + (3xz^2 + 2) \overline{K}$  is a force field, find the work done in moving an object in this field from (0, 1, -1) to  $(\frac{\pi}{2}, -1, 2)$ .
  - (b) Two urns contain respectively 5 white and 3 black balls; 2 white and 3 black balls. One ball is drawn from each urn. Find the expected number of white balls drawn.
  - (c) The probability distribution of a random variable is given by

    X: -2 -1 0 1 2 3

    P(x=x): 0.1 k 0.2 2k 0.3 k

    find k, the mean and variance.
  - (d) Determine the nature of singalarities of the following function  $(z+1) \sin \left(\frac{1}{z+2}\right)$
- 2. (a) Evaluate  $\int_{c}^{c} \frac{\sin \pi z^2 + \cos \pi z^2}{z^2 + 3z + 2}$ , where C is
  - (i) |Z| = 1 (ii) |Z| = 2
  - (b) gf z = ax+by and r is the correlation coefficient between x and y brove that  $\sigma z^2 = a^2 \sigma x^2 + b^2 \sigma y^2 + 2abr\sigma x\sigma y$
  - (c) Verify the stokes theorem for the vector field  $\overline{F} = x^2 \overline{i} + xy \overline{J}$  and curve is boundary of the rectangle x = 0, y = 0, x = a, y = b
- 3. (a) The marks obtained by 10 students in an examination were as follows 70,65,68,70,75,73,80,70,83,86. Find the mode, median, mean deviation about the mean.
  - (b) If x denotes the outcome when a fair dice is tosed, find moment generating function of x and hence find the mean and variance of x.
  - (c) Obtain Taylor's and Laurent's series explansion of  $f(z) = \frac{z-1}{z^2 2z 3}$  about 8 origin indicating the regions of convergence.
- 4. (a) The marks obtained by students in an university are normally distributed with mean 65 and variance 25. If 3 students are selected at random, what is the probability that at least one of them would have scored more than 75 marks?

TURN OVER

8

QP Code: 14297

6

- (b) Show that in a Possion distribution with unit mean, the mean diviation about mean is times standard deviation.
- (c) Using Residece theorem evaluate  $\int_{0}^{2\pi} \frac{d\theta}{1-2a\sin\theta+a^2}$  where 0 < a < 1.
- 5. (a) Evaluate  $\iint_s \overline{F} \cdot d\overline{s}$  where  $\overline{F} = 4xy\overline{i} 2y^2\overline{J} + z^2\overline{k}$  and S is the region bounded by  $y^2 = 4x$ , x = 1, z = 0, z = 3.
  - (b) Evaluate  $\int \frac{z^2}{z^4 1} dz$  where C is the circle

    (i)  $|z| = \frac{1}{2}$  (ii) |z+i| = 1
  - (c) In a sample of 600 men from a certain large city of south Africa, 450 are Ebala infected. In one of 900 from another large city 450 are infected. Do the data indicate a significant difference between the two cities as Ebola infection is concerned?
- 6. (a) Find the work done in moving a paritcle once around the ellipse  $\frac{x^2}{\frac{16}{9}} + \frac{y^2}{9} = 1$  in the plane Z =0 in the force field given by  $\overline{F} = (3x 2y)\overline{i} + (2x + 3y)\overline{j} + y^2\overline{k}$ .
  - $\overline{F} = (3x 2y)\overline{i} + (2x + 3y)\overline{j} + y^{2} \overline{k}$ (b) Evaluate  $\int_{c}^{c} \frac{dz}{z^{3}(z+4)}$ , Where C is the circle |z| = 2.

    (c) A certain injection administered to 12 patients resulted in the following
  - (c) A certain injection administered to 12 patients resulted in the following charges of bload pressure:
    5, 2, 8, -1, 3, 0, 6, -2, 1, 5, 0, 4, can it be conducted that the injection will be in general accompanied by an increse in blood pressure?
- 7. (a) Locate the mode from the following data

  Marks 6 7 8 9 10 11 12 13 14

  No.of Studsents 5 12 18 25 19 9 5 3 2
  - (b) Using Residue theorem evaluate  $\int_{c}^{c} \frac{\sin^{6} z}{\left(z \frac{x}{6}\right)^{3}} dz \text{ where C is } |z| = 1.$
  - (c) A transmission channel has a per-diget error probability p = 0.01. Calculate the probability of more than one error in 10 received digits using.
    - (i) Binomial distribution
    - (ii) Poisson Distribution