**QP Code: 4049** 

3Hrs.

100 Marks

N.B.: (1) Question No.1 is Compulsory.

- (2) Out of remaining six questions attempt any Four questions.
- (3) In all five questions to be attempted.
- (4) All questions carry equal marks.
- (5) Answer to each new question to be started on fresh page.

		4
1a	Consider a AIRLINE Reservation System	10
	a) Draw ER diagram .Assume Suitable	-
	b) Convert the ER diagram into equivalent schema	1
1b	Explain the following terms with example	10
	(i) Strong Entity Set	
	(ii) Project operator in relational algebra	
	(iii) Primary Key	
	(iv) Left outer join	
	(v) TCL	
2a	employee (employee-name, street, city)	10
	works (employee-name, company-name, salary)	10
	company (company-name, city)	
	manages (employee-name, manager-name)	
	a) Create relations employee and works	
	b) Add a new employee to the database, assume any values for required	
	attributes.	
	c) Delete the works details for the employee "Sachin Parkar".	
	d) Find all employees in the database who do not work for State Bank of	
	India	
	e) Find the company that has the most employees.	
	o) This the company that has the most employees.	
2b	Explain the 3-Tier ANSI-SPARC architecture	10
		10
3a	employee (person-name, street, city)	10
	works (person-name, company-name, salary)	10
	company (company-name, city)	
	manages (person-name, manager-name)	
	manages (person-name, manager-name)	
	Solve the following Queries using relational algebra:	
	i. Modify the database so that "Sachin" now lives in "Agra"	
	ii. Find the names, street address, and cities of residence of all and land	
	and chies of residence of all employees	
	who work for ICICI and earn more than Rs10,000 per month iii. Find the company with the smallest payroll	
	iv. Find the names of all employees in this database who do not work for	
	Find the names of all employees in this database who do not work for ICICI Bank	
-	v. Find the company name which is in Mumbai	

RJ-Con.: 10296-15.

[TURN OVER

3b	Explain View Serializability with example	10
4a	i. Compute the closure of the following set $F$ of functional dependencies for relation schema $R = (A, B, C, D, E)$ . $A \rightarrow BC$	5
	$CD \rightarrow E$	1
	$B \to D$	1
	$E \rightarrow A$	10
	List the candidate keys for R	
	ii. Explain Third Normal Form and BCNF with example	5
4b	Explain B+ tree with examples of various operation(insertion, deletion)	10
5a	Explain timestamp ordering protocol	10
5b	Consider the following two transactions:	10
	T31: read(A);	
	read(B);	
	if $A = 0$ then $B := B + 1$ ;	
	write(B).	
	T32: read( $B$ );	
	read(A);	ŀ
	if $B = 0$ then $A := A + 1$ ;	
	write(A).	
	Add lock and unlock instructions to transactions T31 and T32, so that they	
	observe the two-phase locking protocol. Can the execution of these	
6a	transactions result in a deadlock?	
oa	Explain Immediate database modification technique for log based recovery	10
6b	Explain what is deadlock and rethods for deadlock detection	10
	Explain what is deadlock and inchods for deadlock detection	10
7	Write short notes for: (Ary four)	20
	i. Referential Integrity	20
	ii. Aggregate functions in SQL	
	iii. Shadow Paging	
	iv. Checkpoints	
	v. Triggers in SQL	