IR@AIKTC-KRRC

TE-Sum-VT-EXTC-CBS4S_DC

Q. P. Code: 24894

Duration: 3 Hours

Total Marks: 80

N.B.: (1) Question No 1 is Compulsory.

- (2) Attempt any three questions out of remaining five.
- (3) All questions carry equal marks.
- (4) Assume Suitable data, if required and state it clearly.

QNo.1 Attempt any Four :- 20

- a What is matched filter? Mentation two properties of Matched filter.
- b State the significance of minimum distance block code.
- c Describe how channels can be classified briefly explain each.
- d How is spread spectrum signal different from normal signal?
- e Explain the following terms in digital modulation techniques: Probability of error, Power spectra, Bandwidth efficiency.
- Q No.2 a Explain the Huffman encoding procedure. A discrete memoryless source 10 (DMS) has five symbols with probabilities for its output as described in Table.

VEE	Symbol	Xı	X2	X3	X4	X_5
9	Probability	0.4	0.19	0.16	0.15	0.1
ž.	Trobacting	0.4	0.17	0.10	0.10	,

Construct a Huffman code for X and calculate the efficiency of the code.

- b Why do we need to use the line code formats? State the important properties of 10 line codes.
- Q No.3 a Sketch PSK and QPSK signals for the input bit sequence 10011010. What are 10 the similarities between them? How do they differ to each other?
 - b A polar NRZ waveform has to be received with the help of a matched filter. 10 Here, binary 1 is represented by a rectangular positive pulse. Also, binary zero is represented by a rectangular negative pulse. Determine the impulse response of the matched filter. Also, sketch it.
- Q No.4 a Draw the block diagram of binary Frequency shift Keying (BFSK) generation. 10 And also explain the Spectrum of BFSK signal.

Q. P. Code: 24894

b The Parity check matrix of particular (7,4) linear block code is given by 10

- i. Find the generator matrix (G)
- ii. List all the codevectors
- iii. What is the minimum distance between the code vectors?
- iv. How many errors can be detected? How many errors can be corrected?
- Q No.5 a For the systematic (7, 4) cyclic code, determine the generator matrix and parity check matrix. Given generator $g(x) = x^3 + x + 1$.
 - b Generator vectors for a rate 1/3 convolutional encoder are:
 - $g^1 = (1,0,1), g^2 = (1,1,0), g^3 = (1,1,1)$
 - i. Draw encoder diagram.
 - ii. Draw trellis diagram.

Q No.6

- b Explain M-Ary FSK with the help of following.
 - i. Block diagram
 - ii. Spectrum of M-Ary FSK
 - iii. Bandwidth of M-Ary FSK
- c Explain with block diagram, direct sequence spread spectrum technique.

10

10



TE-Sem-VI-CBSGS-EXTC-DTSP

27/11/17

O.P.Code:16205

(3 hours)

[Total Marks: 80]

N.B: 1) Question number 1 is compulsory

- 2) Solve any three questions out of the remaining five questions
- 3) In all four questions to be attempted.
- 4) Figures to the right indicate full marks
- (05)Q.1(a) A digital filter has following transfer function. Identify the type of filter and justify it

 $H(z) = \frac{1}{1 + 0.9z^{-1}}$

(b) Compare FIR and IIR filter.

(05)

(c) What is multirate signal processing? Discuss important applications of multirate signal Processing.

(05)

(d) $x(n) = 4\partial(n) + 3\partial(n-1) + 2\partial(n-2) + \partial(n-3)$ is a six-point sequence.

(05)

- (i) Find p (n) if $P(k) = W_N^{2k} X(K)$ (ii) If Q(K) = X(K 3), find q(n).
- Q2) (a) Compute DFT of a sequence x(n) = {1, 2, 2, 3, 1, 2, 2, 3} using DIF-FFT algorithm. Compare (10)computational complexity of DIFFFT with DFT for the given signal.
 - (b) Design FIR filter using frequency sampling technique for the following specifications. (10)

 $H_d(e^{j\omega}) = e^{-j3\omega}$ $H_d(e^{j\omega}) = 0$

Q3 (a) Derive composite radix DITFFT flow graph for $N=6=3\times2$

(10)

(b) Design a digital Butterworth Low pass IIR filter using Impulse invariant technique by (10)taking T =1 sec to Satisfy following specifications

 $0.707 \le |H(e^{j\omega})| \le 1.0$ MUMBAL - $MO^{1/2}$ $0 \le \omega \le 0.3\pi$

 $|H(e^{j\omega})| \leq 0.2$

 $0.75\pi \le \omega \le \pi$

Q4) (a) The transfer function for discrete time causal system is given by

(10)

$$H(z) = \frac{1 - z^{-1}}{1 - 0.2z^{-1} - 0.15z^{-1}}$$

- i. Draw Direct Form-I and Direct form-II realization structure.
- ii. Draw cascade and parallel realization
- iii. Find impulse response of the system.

Turn Over

2

Q.P.Code:16205

(b) If $x(n) = \{2,3,4,5\}$

- i. Find DFT of x(n) using DITFFT.
- ii. If y(n) = x(n-1). Find DFT of y(n)
- iii. m(n) = x(n) + j y(n). Find DFT of m(n) using above results only. (10)

Q (5) (a) $x(n) = \{1,2,3,2\}$ and $h(n) = \{1,2,3\}$

(10)

- i. Find circular convolution between x(n) and y(n) using time domain and frequency domain method.
- ii. Find linear convolution between x(n) and h(n).
- iii. Compare circular convolution and linear convolution results. Comment on it.
- (b) Explain the effect of aliasing in impulse invariant technique

(05)

- (c) $X(K)=\{26, -2+2j, -2, -2-2j\}$ find x(n) using IDIFFT algorithm.
- (05)

Q (6) (a) Explain the process of decimation with frequency spectrum.

(5*4=20)

- (b) Explain in detail the effect of finite world length effects in digital filters
- (c) Explain sub band coding of speech signal.
- (d) Impulse response of the FIR filter is $h(n) = \{1, 2, 3, 2, 1\}$, draw linear phase realization structure.

Q.P. Code: 16205

Q.4 Q) $H(2) = 1 - 2^{-1}$ $1 - 0.152^{-2}$

Q.5 a) i) Read as

i) Find circular convolution between 2(n) and h(n) using time domain and frequency domain method

Block of - This

Aaga Fooz dezaoz France
Hassan Kumani Rumani

Zaid surve 1/2e

Block 02

Jos. M. 107Vade

Block 03

Agr

IR@AIKTC-KRRC

EXTC/VI/CCTN

aiktcdspace.org

18

Q.P. Code: 27200

[03 Hour]

[Total Marks: 80]

N.B.

- i) Question No.1 is compulsory.
- ii) Attempt any three from the remaining questions.

Q1. Attempt the following:	[20]
a) What are the performance parameters of computer network?	
b) List the features of WLAN.	
e) Explain the concept of connectionless and Connection oriented protocol with	
example.	
d) How MPLS is different from traditional routing	
SEKAN *CHNI	
Q2. What of	
a) Compare between bridge and router	[6]
b) Draw and explain field of IPv4 datagram.	[8]
c) Derive the expression of efficiency of ALOHA.	[6]
Q3.	
a) Different between FDM and TDM.	[4]
b) Explain in detail the physical media used for computer communication.	[8]
c) Classify multiple-access protocols and explain the CSMA/CD	[8]
Q4.	
a) Classify unicast routing protocol and explain the working principle of RIP.	[8]
b) How link state routing is advantageous than distance vector routing.	[6]
	[6]
c) Discuss the working Principle of HFC	11
Q5.	
a) What do you mean by socket? Explain Network Socket Programming.	[7]
b) How UDP is different from TCP for data transmission?	[7]
c) What is the role of SMTP in application layer?	[6]
	[20]
Q6 .Write a short notes on:	[20]
a) TCP/IP Overview	
b) Network topologies	
c) Congestion Control	

Q.P. Code :11989

			[T	ime: 3 Hours] [Ma	arks:80]
		N.B:	1. 2. 3.	Please check whether you have got the right question paper. Questions number 1 is compulsory. Solve any three questions from the remaining five questions Draw neat sketches wherever required.	
Q.1	B C	In TV why AM is What are the ac	pret Ivant	D and LCD displays? ferred over FM for picture modulation? tages of using digital technologies for television system? considerations in TV system?	5 5 5
Q.2	A B	Explain interlace Explain working	ed sc of ir	anning with a neat diagram and also explain how it is better than sequential scanning mage orthicon camera tube with a neat sketch. Also state its draw backs?	g? 10 10
Q.3	A B	Explain in detail Explain the need	l Dire	ect to Home TV (DTH)? chroma sub sampling .Explain various types.	10 10
Q.4		i) Luminance, chii) Additive and	rom subt		10
		i) Aspect ratio	ii) Vi	g terms in relation to digital TV. ewing distance and angle iii) Digitization.	
Q.5		Only (R-Y) and ((G-Y) is not tran	B-Y) smit	color difference signal along with luminance signal is chosen for color transmission a	nd 10 10
Q.6	1 2	Write short not High definitions Chromaticity dia	es or tele	vision (HDTV)	20
		MUSE system Color killer circu	iit	Maria	

IR@AIKTC-KRRC

aiktcdspace.org

TE-Som-VI-EXTC-CBSGS-0-S

15/12/1

Q.P. Code: 25709

(3 Hours)

Total Marks: 80

N.B. 1) Question No.1 is compulsory.

- 2) Attempt any three questions out of remaining five questions.
- 3) Assume suitable data whenever required but justify the same.
- 4) Assumption made should be clearly stated.

Q. 1	(a)	Define an operating system? What are the different functions of an OS?	(5)
25	(b)	What is a Process? What are the contents of a Process Control Block?	(5)
	(c)	What are the different features of a Real Time OS?	(5)
	(d)	Explain Segmentation as a Memory Management scheme.	(5)
Q. 2	(a)	What is Preemptive and Non-Preemptive CPU scheduling? Explain any one CPU scheduling algorithm in detail.	(10)
	(b)	Explain concept of I-nodes in Unix operating system.	(10)
Q. 3	(a)	What is a Deadlock? What are the four conditions for a deadlock to occur?	(10)
	(b)	Explain RAID architecture to manage devices in an OS	(10)
Q. 4	(a)	Explain clearly Demand Paging and concept of Virtual memory in an OS.	(10)
	(b)	What are the different issues to be considered in scheduling in a real time OS.	(10)
Q. 5	(a)	Explain contiguous and non-contiguous file allocation techniques in an OS.	(10)
**	(b)	What is the kernel of an OS? Describe Monolithic kernel and microkernel architecture of an OS.	(10)
Q. 6	(a)	Compare and contrast Unix and Windows operating system.	(10)
	(b)	Write a note on Device management in an OS	(10)

TR@AIKTC-KRRCm-VI-ExTC-CBSGS-VLSI-D

aiktcdspace.org

Q.P.Code:16056

Time: 3 Hours Marks: 80 Please check whether you have got the right question paper.

- N.B. 1) Q. No. 1 is compulsory.
 - 2) Attempt any three out of remaining four questions.
 - 3) Assume any suitable data wherever required but justify the same.
- 1 a Explain the Need & Effect of scaling.

20

- b Find resistance Rn for nMOS if electron mobility μ_n =560cm²/V-sec , t_{ox} = 10 nm , ϵ_{0x} = 3.9 x8.85x10⁻¹⁴ F/cm , and V_G=3.3 Volts V_{THn} =0.7 Volts if W=10 μ m L=0.5 μ m
- ^C Explain Latch-up problem in CMOS and how it can be avoided
- d Draw the circuit and explain the working for bidirectional pad
- 2 a Design CMOS inverter such that the switching threshold is $V_{th} = 1.2$ 10 V, with the following device parameters:

NMOS:
$$V_{T0,n}$$
= 0.6 V $\mu_n C_{ox}$ =60 $\mu A/V^2$
PMOS: $V_{T0,p}$ = -0.8 V $\mu_p C_{ox}$ =20 $\mu A/V^2$

Assume $V_{DD}= 2.4 \text{ V}$ and $\lambda=0$

- Derive expression for current in saturation region from that of the linear region current equation also explain the effect of substrate potential (Body Effect) on current and also discuss the effect on overall performance of the device.
- 3 a Explain the effect of scaling on interconnects and comment on 10 performance of VLSI circuit.
 - b Draw the schematic of carry look-ahead adder Explain how speed can 10 be improved?

Consider the logical function as given above

- i) Design the CMOS logic gate that provides the function.
- ii) Is it possible to find an Euler graph for the circuit? If so, construct the graph and also it to perform stick level layout. If not find a Layout strategy for the GATE.

Q.P.Code:16056

b For the function $Z = \overline{(A+B)(E+F)(H+I)}$ 10 (i) Domino CMOS circuit (ii) Draw an equivalent circuit for domino circuit by using equivalent transistor sizes with W/L=30/2 (both for NMOS and PMOS) 5 Explain the Latch-up problem in CMOS with neat diagram also give 5 the different methods to overcome the latch-up. Compare various loads used in Inverter circuit. Draw proper diagram 10 and compare different parameters which characterize each type of Inverters C Draw the Schematic of 6-transistor SRAM cell also the draw layout for the same 6 Explain the clock generation and different types of clocking schemes a for VLSI circuit Explain various issues of clock distribution? Explain how they are addressed? How the cross-talk in multilayer system is modeled? b 5 Explain Charge sharing problem and give the solution 5

Correction: T3126 / T0895 - VLSI DESIGN QP Code: 16056

University of Mumbai <support@muapps.in>

Fu controllera-rayahoo som



University of Mumbai

Correction: T3126 / T0895 - VLSI DESIGN QP Code: 16056

Q. 5 a) is cancelled.

Q.5 c) is for 10 marks.

University of Mumbai

https://muapps.in

Support@muapes.in

022-26534263 / 022-26534266

Mon-Fri, 10am 55pm

bulleus remained



