



# URKUND – Plagiarism Checker

Presenter : eGalactic



# Agenda For of Training



- eGalactic
- Urkund
- INFLIBNET and eGalactic
- What is Plagiarism
- Urkund Training
  1. Modes of Accessing URKUND
  2. Faculty Registration Process
  3. Document Submission
  4. Student Account
  5. Report Reading
  6. Removing Duplicate
- Queries



# About eGalactic

- Founded in 2008
- An endeavor to assist faculties and institutes in enhancing quality of education
- Understand the needs and address with the best available product
- Products offered are anti plagiarism services and simulation exercise
- Products being used by more than 250 Universities and Colleges in India and 3000+ institutes globally



Plagiarism  
Checker



Marketing



Strategy



Finance

**FORAD**



# Products Offered



- Plagiarism Checker
- Used by clients across the globe, 250+ customers in India
- Fully automated system based on mail



- World renowned Marketing Strategy simulation
- Designed by Prof from INSEAD University
- Used by top institutes in Europe and US and India



- Business Strategy simulation used widely in US
- Developed by Prof Arthur Thompson - Alabama University
- Used by around 600 universities and colleges

**FORAD**

- Corporate finance simulation
- Designed by Prof Remmers from INSEAD University
- Used for education and corporate training



# About Urkund



- URKUND is owned and developed by Prio Infocenter AB



- The service had its origins in the academic world. Some teachers hit on the idea of creating a web-based service that could help them to detect student cheating and plagiarism. That is how URKUND came to be set up in autumn 2000
- URKUND continued to grow and develop, and has become recognized in academic circles and used in Europe, US, Asia and the Middle East
- URKUND has been used by academic institutions around the world since 1999 to detect and prevent plagiarism effectively



URKUND

# INFLIBNET, eGalactic, URKUND



- URKUND was selected by Inflibnet through a global tender for offering anti plagiarism services
- Universities having MoU with INFLIBNET and under section 12(B)/2f of UGC Act and eligible for funding from UGC
- All other Universities with MoU are eligible for special benefits extended to Inflibnet



# Why Prevent Plagiarism



- **What is Plagiarism :** A plagiarism exists when someone describes another's thoughts or wording as though they were one's own. It could be textual similarity, structural similarity or conceptual similarity
- **Why is it Bad:** One fails to assimilate all the knowledge and skills and does not give acknowledgment to the entitled person
- **Why Prevent Plagiarism:**
  - Motivates students develop original thoughts and ideas
  - Enhance learning
  - Encourage students to use sources correctly and use references



# URKUND Training




1. Faculty Registration Process
2. Modes of Accessing URKUND
3. Login Portal
4. Document Submission
5. Creating Student Account
6. Report Reading
7. Removing Duplicate





# 1. Faculty Registration Process



# 1. Faculty Registration Process



- University has an Inlibnet and Urkund coordinator
- Coordinator for your University is **Name - XYZ, Email - , Contact No –**
- Registration is provided to faculty members only
- For registration, faculty to provide the following details to the coordinator in the attached excel format:
  1. S.No
  2. University Name
  3. State
  4. Faculty Email
  5. Salutation (Mr / Mrs / Prof/ Dr)
  6. Faculty Name
  7. Department
  8. Faculty Phone Number



Faculty Addition  
Format\_Urkund



# 1. Faculty Registration Process Contd.



- Once the details are provided, the coordinator would complete the registration →
- On Completion of Registration Faculty will receive the email from [noreply@urkund.se](mailto:noreply@urkund.se) with the details of completing the registration process
- Faculty need to follow the step by step process as shown in the next slides to complete the registration






# 1. Faculty Registration : Step 1



## Mail received by the faculty on the registered email id provided to egalactic

[URKUND] Welcome to URKUND!

 **noreply@urkund.se**  
To nishasarda@egalactic.in

3:45 PM   


Dear Nisha Sarda,

You have received this e-mail because your organisation eGalactic has access to URKUND, a pedagogical support system for plagiarism checking, and has requested that a user account be created for you. More information on URKUND is available at <http://www.orkund.com/en/>

A document intended to be checked should be e-mailed as an attached file to:

[nishasarda.egalactic@analysis.orkund.com](mailto:nishasarda.egalactic@analysis.orkund.com)

This analysis address is connected to your personal e-mail ([nishasarda@egalactic.in](mailto:nishasarda@egalactic.in)) and reports will be sent there when they are ready.

With best regards,

URKUND automatic registrar

-- Additional functionality -----

All users have a personal web based inbox for URKUND reports. To use your personal inbox, you first need to activate it via this link:

<https://secure.orkund.com/account/signup/invite?token=XBPJSonZg5IbYIs3o9YvAkLa6qa9fCExVAA2a3Z8ISA%3D>

Note that this link only works for 96 hours. Should you want to activate your user account later, you will need to contact our customer service for a new link.

**Unique analysis  
address is created**

Click on this link to activate your personal inbox. On click a new page will appear. If the page does not appear please check if the pop up is allowed. If not disable pop up blocker.



# 1. Faculty Registration : Step 2



Follow the instructions below

## Account invitation

— User information —

Email

Name

Username

Password

Repeat Password

Language

Terms of Service  I accept URKUND's [Terms of service](#)

Provide name

Provide Your password

Retype Password

— Analysis Addresses —

The following analysis addresses will be connected to your account.

- nishasarda.egalactic@analysis.urkund.com

Click to accept the terms

Click on create

Create



# 1. Faculty Registration : Step 3



**Registration Completed**

## **Registration complete**

You have now completed the registration process and a URKUND account has been configured for you.

[Proceed to your account](#)



## 2. Modes of Accessing URKUND



### ■ Two Modes of Accessing URKUND

#### 1. Through Mail

- Your email account is linked to unique analysis address
- Document can be mailed to the analysis address through mail
- Report is generated and received on mail

#### 2. Web Portal

- Faculty can login through the web portal as suggested in the registration process



# 3. Login Portal



URKUND Help Upload documents Prakash Sarda

Analysis Address : [egalactic.egalactic@analysis.orkund.com](mailto:egalactic.egalactic@analysis.orkund.com) Link to Upload Document

egalactic.egalactic@analysis.orkund.com (9) [Navigation icons] [Search] [Page 1/1]

Percentage copied	Document Number	Document Name	File Size	Word Count	User	Date and Time of submission
0%	D25940383	STRATX.docx	13 KB	73 word(s)	Prakash Sarda	2/22/2017 9:04 AM
61%	D22204063	Indus River Treaty.docx	19 KB	1187 word(s)	education@egalactic.in	10/6/2016 7:22 AM
71%	D21951372	Sri Lanka Marketing Plan.docx	19 KB	730 word(s)	Prakash Sarda	9/24/2016 12:22 PM
100%	D21951358	experiential-learning-users-guide.pdf	1 MB	3470 word(s)	prakash.sarda@gmail.com	9/24/2016 12:21 PM
100%	D21951006	Indus River Treaty.docx	19 KB	1187 word(s)	education@egalactic.in	9/24/2016 11:27 AM
100%	D21452477	Factor Responsible for Product Four Wheeler's Promoting and Purchasing in the Gaut am Bud...	102 KB	11041 word(s)	Prakash Sarda	8/20/2016 11:37 AM
0%	D21085745	Job Profile Customer Support.docx	17 KB	230 word(s)	Prakash Sarda	7/13/2016 9:08 AM
100%	D18690977	DrugReductionList112006.pdf	150 KB	11707 word(s)	Prakash Sarda	3/22/2016 12:24 PM
100%	D18651852	changing-landscape-of-the-indian-pharma-industry.pdf	784 KB	7748 word(s)	Prakash Sarda	3/21/2016 2:48 AM

Percentage copied

Document Number

Document Name

Date and Time of submission





## 4. Document Submission



1. Submission by mail: The document can be mailed to the analysis address that is generated when the faculty account is created
2. Upload by Faculty – Details in next slide
3. Upload by Student – Details later



# 4.1 Submission by Mail



Send Save Discard

Analysis address

From eGalactic Support <support@egalactic.in>

To  CC BCC

Subject Test Document for Submission

Attachments Signatures Options

1 attachment

Attachment

PDF

Formats Font Family Font Sizes A A

Test document only  
Thanks & Regards,  
Support Team,  
eGalactic

# 4.2 Upload by Faculty



URKUND

Help Upload documents Prakash Sarda

Analysis Address : [egalactic.egalactic@analysis.orkund.com](mailto:egalactic.egalactic@analysis.orkund.com)

Link to Upload Document

<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	0%	D25940383 STRATX.docx	13 KB	73 word(s)	Prakash Sarda	2/22/2017 9:04 AM
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	61%	D22204063 Indus River Treaty.docx	19 KB	1187 word(s)	education@egalactic.in	10/6/2016 7:22 AM
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	71%	D21951372 Sri Lanka Marketing Plan.docx	19 KB	730 word(s)	Prakash Sarda	9/24/2016 12:22 PM
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	100%	D21951358 experiential-learning-users-guide.pdf	1 MB	3470 word(s)	prakash.sarda@gmail.com	9/24/2016 12:21 PM
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	100%	D21951006 Indus River Treaty.docx	19 KB	1187 word(s)	education@egalactic.in	9/24/2016 11:27 AM
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	100%	D21452477 Factor Responsible for Product Four Wheeler's Promoting and Purchasing in the Gaut am Bud...	102 KB	11041 word(s)	Prakash Sarda	8/20/2016 11:37 AM
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	0%	D21085745 Job Profile Customer Support.docx	17 KB	230 word(s)	Prakash Sarda	7/13/2016 9:08 AM
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	100%	D18690977 DrugReductionList112006.pdf	150 KB	11707 word(s)	Prakash Sarda	3/22/2016 12:24 PM
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	100%	D18651852 changing-landscape-of-the-indian-pharma-industry.pdf	784 KB	7748 word(s)	Prakash Sarda	3/21/2016 2:48 AM



URKUND

## 4.2 Upload by Faculty Contd.



### Submit Documents

Enter the analysis address you want to submit documents to, then choose the documents you want to submit and finally hit Submit.

You should get a confirmation by email for each submitted document

Receiver

Select analysis address or enter below

Analysis Address

Subject

Message

Analysis address

Subject

Message

Documents

Remove all

Attach files here

Drop files here or click

Submit

Submit Cancel

## 4.2 Upload by Faculty Contd.



URKUND

Help

Upload documents

Prakash Sarda

### Submit Documents

Enter the analysis address you want to submit documents to, then choose the documents you want to submit and finally hit Submit.

You should get a confirmation by email for each submitted document

Receiver

egalactic.egalactic@analysis.orkund.com

Analysis address

Analysis Address

✓ eGalactic, eGalactic (egalactic.egalactic@analysis.orkund.com) Edit

Subject

Subject

Test Document Only

Message

This is a test document for purpose of demo only

Message

Documents

Remove all



Inflibnet Conference April 2015.pdf

800132 bytes

application/pdf

Remove

Attach files here

Drop files here or click

Submit

Submit

Cancel

# 4.3 Upload by Student



## Submit Documents

Enter the analysis address you want to submit documents to, then choose the documents you want to submit and finally hit Submit.

You should get a confirmation by email for each submitted document

Receiver

Select analysis address or enter below

Analysis Address

Subject

Message

Analysis address

Subject

Message

Documents

Remove all

Attach files here

Drop files here or click

Submit

Submit Cancel

# 5. Creating Student Account



## Login

– URKUND Account / Document upload account

Username or Email

Password

Login

[Have you forgotten your password?](#)

[Create account for document upload  
\(STUDENTS\)](#)



# 5. Details to be provided for student login



## Create account for document upload (STUDENTS)

— User information

Email

Name

Password

Email

Name

Password

The password **must** meet the following requirements:

- At least 10 characters long.
- Contain at least one uppercase and one lowercase letter and at least one number (0-9).

Strong passwords **should** not contain names or other common dictionary words.

Repeat password

Language

Retype Password

Submit





# 6. Report Reading



Secure | <https://secure.orkund.com/view/17982142-422526-495118#DclxDoAgEATAv1y9MbcHh8hXjlUhaiikoTT+XSfzyD2krAT1H0AHMwIRHBHumH2DjHb1dra693pl0ck0ZV>

**Document Details**

Document: [Dangers of diving 2016.docx](#) (D18152815)  
Submitted: 2016-02-24 14:15 (+05:0-30)  
Submitted by: Information URKUND (information@orkund.com)  
Receiver: document.demo@analys.orkund.se  
Message: My paper [Show full message](#)  
21% of this approx. 6 pages long document consists of text present in 8 sources.

**Sources from where similarity has been found**

Sources	Highlights
Rank	Filename
<a href="http://www.diversalertnetwork.org/medical/articles/Decompression_illness_What_Is...">http://www.diversalertnetwork.org/medical/articles/Decompression_illness_What_Is...</a>	
<a href="http://bucearte.com/article/enfermedad-descompresiva?locale=en">http://bucearte.com/article/enfermedad-descompresiva?locale=en</a>	
<a href="http://www.scubaboard.com/forums/archive/index.php/t-221547.html">http://www.scubaboard.com/forums/archive/index.php/t-221547.html</a>	
<a href="http://www.scubaboard.com/community/threads/dcs-versus-neurological-symptoms..">http://www.scubaboard.com/community/threads/dcs-versus-neurological-symptoms..</a>	
<a href="http://www.traveldoctor.co.uk/dcs.htm">http://www.traveldoctor.co.uk/dcs.htm</a>	
<a href="http://www.appletreemmedicalgroup.com/travel_medicine/travel_listing.php?id=13">http://www.appletreemmedicalgroup.com/travel_medicine/travel_listing.php?id=13</a>	

Bar for functionality

**Original Document**

20% # 1 Active

in the blood and tissue of a body. These bubbles follow when a person rises from deep water to shallow water, where the pressure is lower, too quickly. The symptoms of the bends occur almost immediately after a completed dive and can lead to catalepsy or even death in serious cases. If you or a dive-mate exhibits symptoms of

decompression sickness, immediately stop the dive, start administrating first aid, and call a specialist in divers' medicine

for help. The only

treatment is to breathe through a large volume of gas at a low pressure.

treatment in a decompression chamber. Symptoms of decompression sickness

The symptoms of decompression sickness vary because the nitrogen bubbles can form in different parts of the body. The diver may complain of headache or vertigo, unusual fatigue or tiredness. He or she may have a rash, pain in one or more joints,

muscular weakness or

tingling in the arms or legs or paralysis. Less often, breathing difficulties, unconsciousness, shock or death may be seen.

**Content as available in the source from where similarity has been found**

External source: [http://www.appletreemmedicalgroup.com/travel\\_medicine/travel\\_listing.ph...](http://www.appletreemmedicalgroup.com/travel_medicine/travel_listing.ph...) 20%

in the bloodstream and tissues of the body. The bubbles occur if you move from deep water towards the surface (where the surrounding pressure is lower) in too short a space of time. Symptoms occur soon after the dive has finished and, in the most serious cases, it can lead to unconsciousness or death.

decompression sickness, stop the dive, initiate first aid, and summon assistance from a specialist in divers' medicine.



# 6. Report Reading



Secure | <https://secure.urkund.com/view/17982142-422526-495118#DclxDoAgEATAv1y9MbcHh8hXjlUhaiikoTT+XSfzyD2krAT1H0AHMw>

**URKUND**

Document: [Dangers of diving\\_2016.docx](#) (D1815...)

Submitted: 2016-02-24 14:15 (+05:0-30)

Submitted by: Information URKUND (information@...)

Receiver: document.demo@analys... .se

Message: My paper [Show full message](#)

21% of this approx. 6 pages long document consists of text present in 8 sources.

Sources	Highlights
Rank	Patryk
1	<a href="#">http://www.appletreem.../travel_medicine/travel_listing.php?id=1...</a>
2	<a href="#">http://www.appletreem.../travel_medicine/travel_listing.php?id=1...</a>
3	<a href="#">http://www.appletreem.../travel_medicine/travel_listing.php?id=1...</a>
4	<a href="#">http://www.appletreem.../travel_medicine/travel_listing.php?id=1...</a>
5	<a href="#">http://www.appletreem.../travel_medicine/travel_listing.php?id=1...</a>
6	<a href="#">http://www.appletreem.../travel_medicine/travel_listing.php?id=1...</a>
7	<a href="#">http://www.appletreem.../travel_medicine/travel_listing.php?id=1...</a>
8	<a href="#">http://www.appletreem.../travel_medicine/travel_listing.php?id=1...</a>

2 Warnings   Reset   Export   Share

20%   # 1   Active

External source: [http://www.appletreem.../travel\\_medicine/travel\\_listing.ph...](http://www.appletreem.../travel_medicine/travel_listing.ph...) 20%

in the bloodstream and tissues of the body. The bubbles occur if you move from deep water towards the surface (where the surrounding pressure is lower) in too short a space of time. Symptoms occur soon after the dive has finished and, in the most serious cases, it can lead to unconsciousness or death.

decompression sickness, immediately stop the dive, initiate first aid, and summon assistance from a specialist in divers' medicine.

Link to share report

Export report

Reset

Warnings

Scroll to Next

Toggle parentheses highlighting

Toggle quote highlighting

Hide detailed text differences

Show disabled alternative matches



# 7. Removing Duplicates



**URKUND**

Document: Dangers\_of\_diving\_v2.doc (D92215433)  
Submitted: 2013-11-13 15:35 (+01:00)  
Submitted by: Title submission (support@prjinfo.se)  
Receiver: srio.test@analys.arkund.se  
Message: My paper on diving. [View full message](#)  
100% of this approx. 3 pages long doc

**List of sources**

Rank	Path/Filename
1	Dangers_of_diving_v1.doc
2	Alternative sources
3	Sources not used

**Source is a duplicate or earlier version**

**A 100% hit in a source block other highlights and hide alternative matches**

**100%**

This is a demo document created to illustrate the use of the urkund system. Author: Dec DeMona Dangers of diving v2

During

the last 20 years diving has become very popular, both abroad and at home. But diving is not without its dangers. It is vital to attend a recognised diving school for training, and subsequently make sure that you keep your skills updated.

Diving has to be planned and carried out in a responsible manner, making sure that first aid equipment and relevant phone numbers are at hand if an accident should take place. Finally, it is important to know the signs of decompression sickness and to be able to give first aid to the diver who has been affected. Beware of diving bells though; they have become more and more popular at tropical beach resorts lately as a method of experiencing nautical adventures without proper training or brains. Diving bells is an obsolete way of diving and should only be utilized by professionals in salvaging operations at great depths, like the Swedish Regal ship Vasa or the German WWII battle cruiser Bismarck. Not for looking at coral at a depth of a measly 9m in some lagoon. It can be dangerous. Don't do it.

What is decompression sickness?

Decompression sickness, by many referred to as "the bends" or "diving sickness", is triggered when bubbles of nitrogen form in the blood and tissue of a body. These bubbles follow when a person rises from deep water to shallow water, where the pressure is lower, too quickly.

The symptoms of the bends occur almost immediately after a completed dive and can lead to catalepsy or even death in serious cases.

If you or a diver mate exhibits symptoms of decompression sickness, immediately stop the dive, start administering first aid, and call a specialist in divers' medicine.

**Lrkund's archive: Test / Dangers\_of\_diving\_v1.doc 100%**

This is a demo document created to illustrate the use of the urkund system. Author: Dec DeMona Dangers of diving v1

During

the last 20 years diving has become very popular, both abroad and at home. But diving is not without its dangers. It is vital to attend a recognised diving school for training, and subsequently make sure that you keep your skills updated.

Diving has to be planned and carried out in a responsible manner, making sure that first aid equipment and relevant phone numbers are at hand if an accident should take place. Finally, it is important to know the signs of decompression sickness and to be able to give first aid to the diver who has been affected. Beware of diving bells though; they have become more and more popular at tropical beach resorts lately as a method of experiencing nautical adventures without proper training or brains. Diving bells is an obsolete way of diving and should only be utilized by professionals in salvaging operations at great depths, like the Swedish Regal ship Vasa or the German WWII battle cruiser Bismarck. Not for looking at coral at a depth of a measly 9m in some lagoon. It can be dangerous. Don't do it.

What is decompression sickness?

Decompression sickness, by many referred to as "the bends" or "diving sickness", is triggered when bubbles of nitrogen form in the blood and tissue of a body. These bubbles follow when a person rises from deep water to shallow water, where the pressure is lower, too quickly.

The symptoms of the bends occur almost immediately after a completed dive and can lead to catalepsy or even death in serious cases.

If you or a diver mate exhibits symptoms of decompression sickness, immediately stop the dive, start administering first aid, and call a specialist in divers' medicine.

# 7. Removing Duplicates Contd.



URKUND

Document: Dangers\_of\_diving\_v2.doc (D92215433)  
Submitted: 2015-11-13 15:35 (+01:00)  
Submitted by: Title submission (support@prbjinfo.se)  
Receiver: prio.test@analys.urkund.se  
Message: My paper on diving. [Show full message](#)  
100% of this approx. 3 pages long document consists of text present

Click on [+] to see matches against available Alternative sources

List of sources

Rank	Path/Filename
	Dangers_of_diving_v1.doc
Alternative sources	
	<a href="http://www.diversatnetwork.org/medical/articles/article.asp?articleid=001">http://www.diversatnetwork.org/medical/articles/article.asp?articleid=001</a>
	<a href="http://pubcare.com/article/enfermedad-de-compresiva-tricasees">http://pubcare.com/article/enfermedad-de-compresiva-tricasees</a>
	<a href="http://dive4ever.blogspot.com/2013_05_17_archive.html">http://dive4ever.blogspot.com/2013_05_17_archive.html</a>

100% Active

Urkund's archive: Test / Dangers\_of\_diving\_v1.doc 100%

This is a demo document created to illustrate the use of the urkund system. Author: DesLellona Dangers of diving v2

Diving:

the last 20 years diving has become very popular, both abroad and at home. But diving is not without its dangers. It is vital to attend a recognised diving school for training, and subsequently make sure that you keep your skills updated.

Diving has to be planned and carried out in a responsible manner, making sure that first aid equipment and relevant phone numbers are at hand if an accident should take place. Finally, it is important to know the signs of decompression sickness and to be able to give first aid to the diver who has been affected. Beware of diving bells though; they have become more and more popular at tropical beach resorts lately as a method of experiencing nautical adventures without proper training or brains. Diving bells is an obsolete way of diving and should only be utilized by professionals in salvaging operations at great depths, like the Swedish Regal ship Vasa or the German WWII battle cruiser Bismarck. Not for looking at coral at a depth of a measly 9m in some lagoon. It can be dangerous. Don't do it.

What is decompression sickness?

Decompression sickness, by many referred to as "the bends" or "diving sickness", is triggered when bubbles of nitrogen form in the blood and tissue of a body. These bubbles follow when a person rises from deep water to shallow water, where the pressure is lower, too quickly.

The symptoms of the bends occur almost immediately after a completed dive and can lead to catalepsy or even death in serious cases.

If you or a dive mate exhibits symptoms of decompression sickness, immediately stop the dive, start administering first aid, and call a specialist in divers' medicine.

This is a demo document created to illustrate the use of the urkund system. Author: DesLellona Dangers of diving v1

Diving:

the last 20 years diving has become very popular, both abroad and at home. But diving is not without its dangers. It is vital to attend a recognised diving school for training, and subsequently make sure that you keep your skills updated.

Diving has to be planned and carried out in a responsible manner, making sure that first aid equipment and relevant phone numbers are at hand if an accident should take place. Finally, it is important to know the signs of decompression sickness and to be able to give first aid to the diver who has been affected. Beware of diving bells though; they have become more and more popular at tropical beach resorts lately as a method of experiencing nautical adventures without proper training or brains. Diving bells is an obsolete way of diving and should only be utilized by professionals in salvaging operations at great depths, like the Swedish Regal ship Vasa or the German WWII battle cruiser Bismarck. Not for looking at coral at a depth of a measly 9m in some lagoon. It can be dangerous. Don't do it.

What is decompression sickness?

Decompression sickness, by many referred to as "the bends" or "diving sickness", is triggered when bubbles of nitrogen form in the blood and tissue of a body. These bubbles follow when a person rises from deep water to shallow water, where the pressure is lower, too quickly.

The symptoms of the bends occur almost immediately after a completed dive and can lead to catalepsy or even death in serious cases.

If you or a dive mate exhibits symptoms of decompression sickness, immediately stop the dive, start administering first aid, and call a specialist in divers' medicine.

# 7. Removing Duplicates Contd.



**Step 1**  
Tick to activate all sources

**Alternative highlights become visible in the left margin**

**URKUND**

Document: Dangers\_of\_diving\_v2.doc (092215433)  
Submitted: 2015-11-13 15:35 (+01:00)  
Submitted by: Title submission / support@prinfo.se  
Receiver: prio.test@analys.orkund.se  
Message: My paper on diving [show full message](#)  
100% of this approx. 3 pages long document consists of text, present in 1 sources.

List of sources

Rank	Path/Name
1	Dangers_of_diving_v1.doc
Alternative sources:	
2	<a href="http://www.diversalertnetwork.org/medical/articles/article.asp?articleid=63">http://www.diversalertnetwork.org/medical/articles/article.asp?articleid=63</a>
3	<a href="http://nursecare.com/article/enfermedad-decompresioncausaopen">http://nursecare.com/article/enfermedad-decompresioncausaopen</a>
4	<a href="http://docs4ever.blogspot.com/2013_05_17_archive.html">http://docs4ever.blogspot.com/2013_05_17_archive.html</a>

100% Active

Alternative highlights become visible in the left margin

100% Urkund's archive: Test / Dangers\_of\_diving\_v1.doc

This is a demo document created to illustrate the use of the Urkund system. Author: Des DeMona Dangers of diving v1

Diving

the last 20 years diving has become very popular, both abroad and

at home. But diving is not without its dangers. It is

vital to attend

a recognised diving school for training, and subsequently make sure that you keep your skills

updated.

Diving has to

be planned and carried out in a responsible manner, making sure that first aid equipment and relevant phone numbers are at hand if an accident should take place. Finally, it is important to know the signs of decompression sickness and to be able to give first aid to

the diver who has been affected. Beware of diving bells though; they have become more and more popular at tropical beach resorts lately as a method of experiencing nautical adventures without proper training or brains. Diving bells is an obsolete way of diving and should only be utilized by professionals in salvaging operations at great depths, like the Swedish Regal ship Vasa or the German WWII battle cruiser Bismarck. Not for looking at coral at a depth of a measly 9m in some lagoon. It can be dangerous. Don't do it.

What is decompression sickness?

Decompression sickness,

by many referred to as "the bends" or "diving sickness", is triggered when bubbles of nitrogen form in the blood and tissue of a body. These bubbles follow when a person rises from deep water to shallow water, where the pressure is lower, too quickly.

The symptoms of the bends occur almost immediately after a completed dive and can lead to catalepsy or even death in serious cases.

If you or a diver mate exhibits symptoms of

decompression sickness, immediately stop the dive, start administering first aid, and call a specialist in divers' medicine.

# 7. Removing Duplicates Contd.



**URKUND**

Document: Dangers\_of\_diving\_v2.doc (D92215433)  
Submitted: 2015-11-13 15:35 (+01:00)  
Submitted by: Title submission (support@prionfo.se)  
Receiver: pro.test@analys.orkund.se  
Message: My paper on diving. [Show full message](#)

40% of this source's 1 pages contain more sources of text present in 1 sources.

**Overall significance score is recalculated**

List of sources

Rank	Path/File name	
	Dangers_of_diving_v2.doc	<input checked="" type="checkbox"/>
Alternative sources		
1	<a href="http://www.diversalertnetwork.org/medical/articles/article.asp?articleid=65">http://www.diversalertnetwork.org/medical/articles/article.asp?articleid=65</a>	<input checked="" type="checkbox"/>
2	<a href="http://bucearte.com/articulo/enfermedad-descompresiva/locala/en">http://bucearte.com/articulo/enfermedad-descompresiva/locala/en</a>	<input checked="" type="checkbox"/>
3	<a href="http://docs4ever.blogspot.com/2013_05_1*_archive.html">http://docs4ever.blogspot.com/2013_05_1*_archive.html</a>	<input checked="" type="checkbox"/>

**Step 2**  
Un-tick the undesired source

100% Active Unkund archive: Test / Dangers\_of\_diving\_v2.doc 100%

This is a demo document created to illustrate the use of the urkund system. Author: Dec DeMona Dangers of diving

During

the last 20 years diving has become very popular, both abroad and at home. But diving is not without its dangers. It is vital to attend a recognised diving school for training, and subsequently make sure that you keep your skills updated.

Diving has to be planned and carried out in a responsible manner, making sure that first aid equipment and relevant phone numbers are at hand if an accident should take place. Finally, it is important to know the signs of decompression sickness and to be able to give first aid to the diver who has been affected. Beware of diving bells though; they have become more and more popular at tropical beach resorts lately as a method of experiencing nautical adventures without proper training or training. Diving bells is an obsolete way of diving and should only be utilized by professionals in salvaging operations at great depths, like the Swedish Regal ship Vasa or the German WWI battle cruiser Bismarck. Not for looking at coral at a depth of a merely 9m in some lagoon. It can be dangerous. Don't do it.

What is decompression sickness?

Decompression sickness, by many referred to as "the bends" or "diving sickness", is triggered when bubbles of nitrogen form in the blood and tissue of a body. These bubbles follow when a person rises from deep water to shallow water, where the pressure is lower, too quickly.

The symptoms of the bends occur almost immediately after a completed dive and can lead to catalepsy or even death in serious cases.

If you or a dive-mate exhibits symptoms of decompression sickness, immediately stop the dive, start administering first aid, and call a specialist in divers' medicine

**The highlight turns grey as it is deactivated**

**Step 3**  
Press the [F5] key to reload the analysis

# 7. Removing Duplicates Contd.



**URKUND** Login

**Document:** Dangers\_of\_diving\_v2.doc (D92215433)  
**Submitted:** 2015-11-13 15:35 (+01:00)  
**Submitted by:** Title submission (support@pbi.info.se)  
**Receiver:** priv.etsu@etidivis.orkund.se  
**Message:** My paper on diving. [Show full message](#)

100% of this approx. 3 pages long document consists of text present in 1 sources.

Rank	Path/Filename	
1	<a href="http://www.diversalertnetwork.org/medical/arbc/">http://www.diversalertnetwork.org/medical/arbc/</a>	<input checked="" type="checkbox"/>
2	<a href="http://eurkante.com/artikla/enfamedan-descomy/">http://eurkante.com/artikla/enfamedan-descomy/</a>	<input checked="" type="checkbox"/>
3	<a href="http://www.traveltector.co.uk/dcs.htm">http://www.traveltector.co.uk/dcs.htm</a>	<input checked="" type="checkbox"/>
4	<a href="http://doc4ever.blogspot.com/2013_05_17_archi...">http://doc4ever.blogspot.com/2013_05_17_archi...</a>	<input checked="" type="checkbox"/>

Alternative sources

Desired sources are now primary and the duplicate is alternative

100% Warning Reset

Active  **Urkund's archive: Test / Dangers\_of\_diving\_v1.doc** 100%

This is a demo document created to illustrate the use of the urkund system. Author: Des DeMons Dangers of diving

During

the last 20 years diving has become very popular, both abroad and

**Step 4**  
Click a highlight in the margin

a recognised diving school for training, and subsequently make sure that you keep your skills updated.

Diving has to

be planned and carried out in a responsible manner, making sure that first aid equipment and relevant phone numbers are at hand if an accident should take place. Finally, it is important to know the signs of decompression sickness and to be able to give first aid to

the diver who has been affected. Beware of diving bells though; they have become more and more popular at tropical beach resorts lately as a method of experiencing nautical adventures without proper training or brains. Diving bells is an obsolete way of diving and should only be utilized by professionals in salvaging operations at great depths, like the Swedish Regal ship Vasa or the German WWII battle cruiser Bismarck. Not for looking at coral at a depth of a meady 9m in some lagoon. It can be dangerous. Don't do it.

What is decompression sickness?

Decompression sickness,

by many referred to as "the bends" or "diving sickness", is triggered when bubbles of nitrogen forms in the blood and tissue of a body. These bubbles follow when a person rises from deep water to shallow water, where the pressure is lower, too quickly.

The symptoms of the bends occur almost immediately after a completed dive and can lead to catalepsy or even death in serious cases.

If you or a dive-mate exhibits symptoms of

decompression sickness, immediately stop the dive, start administering first aid, and call a specialist in divers' medicine

This is a demo document created to illustrate the use of the urkund system. Author: Des DeMons Dangers of diving

During

the last 20 years diving has become very popular, both abroad and

at home. But diving is not without its dangers. It is

vital to attend

a recognised diving school for training, and subsequently make sure that you keep your skills updated.

Diving has to

be planned and carried out in a responsible manner, making sure that first aid equipment and relevant phone numbers are at hand if an accident should take place. Finally, it is important to know the signs of decompression sickness and to be able to give first aid to

the diver who has been affected. Beware of diving bells though; they have become more and more popular at tropical beach resorts lately as a method of experiencing nautical adventures without proper training or brains. Diving bells is an obsolete way of diving and should only be utilized by professionals in salvaging operations at great depths, like the Swedish Regal ship Vasa or the German WWII battle cruiser Bismarck. Not for looking at coral at a depth of a meady 9m in some lagoon. It can be dangerous. Don't do it.

What is decompression sickness?

Decompression sickness,

by many referred to as "the bends" or "diving sickness", is triggered when bubbles of nitrogen forms in the blood and tissue of a body. These bubbles follow when a person rises from deep water to shallow water, where the pressure is lower, too quickly.

The symptoms of the bends occur almost immediately after a completed dive and can lead to catalepsy or even death in serious cases.

If you or a dive-mate exhibits symptoms of

decompression sickness, immediately stop the dive, start administering first aid, and call a specialist in divers' medicine

# 7. Removing Duplicates Contd.



**URKUND** Login

Document: Dangers\_of\_diving\_v2.doc (D92215433)  
Submitted: 2015-11-13 15:35 (+01:00)  
Submitted by: Title submission (support@prinfo.se)  
Receiver: prio.test@analys.orkund.se  
Message: My paper on diving [Show full message](#)  
96% of this approx. 3 pages long document consists of text present in 1 sources.

List of sources

Rank	Path/Filename	
1	<a href="http://www.diversalertnetwork.org/medical/articles/article.asp?articleid=65">http://www.diversalertnetwork.org/medical/articles/article.asp?articleid=65</a>	<input checked="" type="checkbox"/>
2	<a href="http://buicearte.com/articulo-enfermedad-descompresiva7a0ca1ec2e">http://buicearte.com/articulo-enfermedad-descompresiva7a0ca1ec2e</a>	<input checked="" type="checkbox"/>
3	<a href="http://www.traveldoctor.co.uk/dcs.htm">http://www.traveldoctor.co.uk/dcs.htm</a>	<input checked="" type="checkbox"/>
4	<a href="http://docs4ever.blogspot.com/2013_05_17_archive.html">http://docs4ever.blogspot.com/2013_05_17_archive.html</a>	<input checked="" type="checkbox"/>

Alternative sources

0 Warnings Reset

This is a demo document created to illustrate the use of the urkund system. Author: Des DeMona Dangers of diving

During

96% Active

External source: [http://docs4ever.blogspot.com/2013\\_05\\_17\\_archive.html](http://docs4ever.blogspot.com/2013_05_17_archive.html) 96%

at home. But diving is not without its dangers. It is vital to attend a recognised diving school for training, and subsequently make sure that you keep your skills updated.

Diving has to be planned and carried out in a responsible manner. Numbers are at hand if an accident should take place. Decompression sickness and to be able to give first aid to the diver who has been affected. Beware of diving bells though, they have become more and more popular at tropical beach resorts lately as a method of experiencing nautical adventures without proper training or brains. Diving bells is an obsolete way of diving and should only be utilized by professionals in salvaging operations at great depths, like the Swedish Regal ship Vasa or the German WWII battle cruiser Blomark. Not for looking at coral at a depth of a measly 5m in some lagoon. It can be dangerous. Don't do it.

What is decompression sickness?

Decompression sickness, by many referred to as "the bends" or "diving sickness", is triggered when bubbles of nitrogen form in the blood and tissue of a body. These bubbles follow when a person rises from deep water to shallow water, where the pressure is lower, too quickly.

The symptoms of the bends occur almost immediately after a completed dive and can lead to catalepsy or even death in serious cases.

If you or a dive-mate exhibits symptoms of decompression sickness, immediately stop the dive, start administering first aid, and call a specialist in divers' medicine.

**Step 5**  
**Review remaining highlights**







# Thank You



# Click on URSA Minor to login as admin



Log in

## Log in to URKUND

**Log in to URKUND**  
[Log in to the URKUND system](#)

**The URKUND Statistic- & administration tool - URSA**  
Log into URSA via the links below. Note that earlier StatAdmin/ASTA-credentials are no longer valid.  
A valid username begins with the organization number Ex. "u9876\_witsap"

[URSA Minor](#)  
[URSA Major](#)

Login with the URSA Minor as shown below with the account details provided



https://secure.orkund.com/sysmon/Login/Login? URKUND URSA - statistics and ... URKUND - Log in Sysmon2 - Login

**URKUND**

Username

Password

[Reset Password](#)



Select the University under which the faculty needs to be added



URKUND Menu ▾

Welcome

---

Units

- U2670 - eGalactic



# Click on Create Analysis Address



URKUND Menu U2670\_Prakash

### U2670 - eGalactic

Change OrganizationLevels Invite to create User Account **Create analysis addresses and send invite to Web inbox** Statistics

Properties

Id	U2670	Contact person	Prakash Sarda
Name	eGalactic	Email	egalactic@gmail.com
Emailsuffix	.egalactic@analysis.urkund.com	Phonenumber	
Organization	1435 - eGalactic	Language	English

### Receivers

Show 100 entries Search:

Id	Date	Name	Personal Email	Account Email	Username	Org A	Org B	Deleted
R189851	2015-08-05T07:52:00	Prakash Sarda	egalactic@gmail.com	egalactic.egalactic@analysis.urkund.com				<input type="checkbox"/>



Include email id along with the name with a space between the name and email id



URKUND Menu

— Create analysis addresses and send invite to Web inbox —

Paste a list of the Receivers in the textare below, either as a list of mailaddresses. Example:

- @arne.arnesson@prioinfo.se
- @berit.beritsson@prioinfo.se
- @c.caesarsson@prioinfo.se

Or a list with the mailaddress and a name. Example:

- @arne.arnesson@prioinfo.se Arne Arnesson
- @berit.beritsson@prioinfo.se Berit Beritsson
- @c.caesarsson@prioinfo.se Caesar Caesarsson

Only use one space or tab between the email and the name.

support@egalactic.in Support Service  
support1@egalactic.in Support1 Service1

Next

For multiple faculty addition include one entry in one line. Multiple id can be added in one go



# Validate the details and Click next



URKUND Menu

Settings

Organization level --v

Organization level --v

Send analysis address and Web inbox account invitation

Allow creation of duplicates

✕ - support.egalactic@analysis.orkund.com

Personal Email: support@egalactic.in

Name: Support Service

Email Prefix: support

Emailsuffix: egalactic@analysis.orkund.com

✕ - support1.egalactic@analysis.orkund.com

Personal Email: support1@egalactic.in

Name: Support1 Service1

Email Prefix: support1

Emailsuffix: .egalactic@analysis.orkund.com

Previous Next





# Id is successfully created



Browser tabs: <https://secure.orkund.com/sysmon/Unit/UsersCre> | URKUND URSA - statistics and ... | URKUND - Log in | Create analysis addresses an...

URKUND Menu U2670\_F

## Units

— Create analysis addresses and send invite to Web inbox —

*The following accounts have been created*

Show  entries

^ Email	Name	Account Email
support1@egalactic.in	Support1 Service1	support1.egalactic@analysis.orkund.com
support@egalactic.in	Support Service	support.egalactic@analysis.orkund.com

Showing 1 to 2 of 2 entries



You can create multiple department in the organization by clicking on Organization level



URKUND Menu U2670\_Prakash

### U2670 - eGalactic

Change OrganizationLevels Invite to create User Accounts Create analysis addresses and send invite to Web inbox Statistics

Properties

Id	U2670	Contact person	Prakash Sarda
Name	eGalactic	Email	egalactic@gmail.com
Emailsuffix	.egalactic@analysis.orkund.com	Phonenumber	
Organization	1435 - eGalactic	Language	English

#### Receivers

Show 100 entries Search:

Id	Date	Name	Personal Email	Account Email	Username	Org A	Org B	Deleted
R189851	2015-08-05T07:52:00	Prakash Sarda	egalactic@gmail.com	egalactic.egalactic@analysis.orkund.com				<input type="checkbox"/>



Enter department details and click next



### Edit OrganizationLevels

Organization level 1

Organization level 2

Organization level 1 dropdown menu:  
-- New  
Marketing

Organization level 1 Add:

Organization level 2 Add:



While creating the user select the department to track department wise submission and faculty



URKUND Menu U2670

Settings

Organization level **Marketing** ▼

Organization level ▼

Send analysis address and Web inbox account invitation

Allow creation of duplicates

▼ × - support2.egalactic@analysis.urkund.com

---

Personal Email  Name

Email Prefix  Emailsuffix





## Units

— Create analysis addresses and send invite to Web inbox

*The following accounts have been created*

Show  entries

^ Email	Name	Account Email
support2@egalactic.in	support2 service2	support2.egalactic@analysis.urkund.com

Showing 1 to 1 of 1 entries

