aiktcdspace.org School of Architecture

School of Engineering & Technology

KALSEKAR TECHNICAL CAMPUS

School of Pharmacy

Knowledge Resource & Relay Centre (KRRC)

AIKTC/KRRC/SoET/ACKN/QUES/2019-20/

School: SoET-CBCS

IR@AIKTC

Branch: MECH. ENGG.

Date: 15 0 2020 SEM: ш

To, Exam Controller, AIKTC, New Panvel.

Dear Sir/Madam.

Received with thanks the following Semester/Unit Test-I/Unit Test-II (Reg./ATKT) question papers from your exam cell:

Sr. No.	Subject Name	Subject Code	Format		No. of
			SC	HC	Copies
1	Applied Mathematics- III	MEC301	EWP	$\checkmark$	02
2	Thermodynamics	MEC302	NW N	V	02
3	Strength Of Materials	MEC303	///	$\checkmark$	02
4	Production Process-I NAVI MUMBAL	MEC304		$\checkmark$	02
5	Material Technology	MEC305		$\checkmark$	02

Note: SC - Softcopy, HC - Hardcopy

(Shaheen Ansari) Librarian, AIKTC Paper / Subject Code: 50801 / APPLIED MATHEMATICS- III aiktcdspace.org

SE-Som-I - Choice Based - Mech/Givil

(3hours)

[Total marks: 80]

5

5

5

۰.

6

6

N.B. 1) Question No. 1 is compulsory.

IR@AIKTC

1-1

- 2) Answer any Three from remaining
- 3) Figures to the right indicate full marks
- 1. a) Find Laplace transform of  $f(t) = e^{-4t} \sin 3t \cdot \cos 2t$ .
  - b) Show that the set of functions f(x) = 1, g(x) = x are orthogonal on (-1,1). Determine the constants *a* and *b* such that the function  $h(x) = -1 + ax + bx^2$  is orthogonal to both f(x) and g(x).

c) Evaluate  $\int_{\mathcal{C}} (z^2 - 2\overline{z} + 1) dz$  where C is the circle |z| = 1.

d) Compute the Spearman's Rank correlation coefficient *R* and Karl Pearson's correlation coefficient *r* from the following data.

X	12 .	17	22	27	32
ý	113	119	117	115	121
N	A COLUMN	10000		A CONTRACTOR	1.000

2. a) Using Laplace transform, evaluate  $\int_0^\infty e^{-t} \int_0^t \frac{\sin u}{u} du dt$ .

b) Find an analytic function f(z) = u + iv, if  $u = e^{-x} \{ (x^2 - y^2) \cos y + 2xy \sin y \}.$ 6

- c) Obtain Fourier series of  $f(x) = x^2$  in  $(0,2\pi)$ . Hence, deduce that 8  $\frac{\pi^2}{12} = \frac{1}{1^2} - \frac{1}{2^2} + \frac{1}{3^2} - \frac{1}{4^2} + + \cdots$
- 3. a) Using Bender Schmidt method, solve  $\frac{\partial^2 u}{\partial x^2} \frac{\partial u}{\partial t} = 0$ , subject to the conditions,

$$u(0,t) = 0, u(4,t) = 0, u(x,0) = x^2(16 - x^2)$$
 taking  $h = 1$ , for 3 minutes. 6

b) Using convolution theorem, find the inverse Laplace transform of

$$F(s) = \frac{s^2 + s}{(s^2 + 1)(s^2 + 2s + 2)}$$

c) Using Residue theorem, evaluate

i) 
$$\int_0^{2\pi} \frac{d\theta}{2+\cos\theta}$$
 ii)  $\int_C \frac{z^2}{(z+1)^2(z-2)} dz$ ,  $C: |z| = 1.5$  8

68650

Page 1 of 2

E4166FBCBC26C4F0D54936B96AC7976D

4. a) Solve by Crank –Nicholson simplified formula 
$$\frac{\partial^2 u}{\partial x^2} - 16 \frac{\partial u}{\partial t} = 0$$
, 6  
 $u(0,t) = 0$ ,  $u(1,t) = 200t$ ,  $u(x,0) = 0$  taking  $h = 0.25$  for one-time step.  
b) Obtain the Laurent series which represent the function  
 $f(z) = \frac{4z+3}{z(z-3)(z+2)}$  in the regions, i)  $2 < |z| < 3$  ii)  $|z| > 3$  6  
c) Solve  $(D^2 - 3D + 2)y = 4e^{2t}$  with  $y(0) = -3$  and  $y'(0) = 5$  where  $D = \frac{d}{dt}$   
8  
5. a) Find the bilinear transformation under which  $1, i, -1$  from the z-plane are  
mapped onto  $0, 1, \infty$  of w-plane.  
b) Find the Laplace transform of  
 $f(t) = \begin{cases} t, 0 < t < \pi \\ \pi - t, \pi < t < 2\pi \end{cases}$  and  $f(t + 2\pi) = f(t)$  6  
c) Obtain half range Fourier cosine series of  $f(x) = x, 0 < x < 2$ . Using  
Parseval's identity, deduce that -  
 $\frac{\pi^4}{96} = \frac{1}{1^4} + \frac{\pi}{3^4} + \frac{1}{5^4} + \frac{\pi}{5^4} +$ 

c) Determine the solution of one-dimensional heat equation  $\frac{\partial u}{\partial t} = c^2 \frac{\partial^2 u}{\partial x^2}$  under the boundary conditions u(0,t) = 0, u(l,t) = 0, u(x,0) = x, (0 < x < l), *l* being the length of the rod.

Page 2 of 2

E4166FBCBC26C4F0D54936B96AC7976D

68650

IR@AIKTC

D SE-sem-11 - choice Based - Mechanikedspace.org

# Paper / Subject Code: 51602 / Thermodynamics

# (3 Hours)

# [Total Marks : 80]

# N. B. : (1) Question No. 1 is compulsory.

- (2) Solve any three out of the remaining five questions.
- (3) Assume suitable data if required and state it clearly.
- (4) Use of Steam Table and Mollier diagram is permitted.
- 1.
- Attempt any four out of the following
- (a) State and prove Carnot Theorem.
- (b) Explain the working principle of Roots blower. Also draw P-V diagram for it.
- What is the difference between heat and internal energy? (c)
- (d) Why is Carnot cycle not practicable for a steam power plant?
- (c) Calculate the state of steam (i.e. whether it is dry, wet or superheated), when steam has a pressure of 15 bar and specific volume of 0.12 m3/kg.
- 2. (a) In a gas turbine unit, the gases flow through the turbine is 15 kg/s and the power 10 developed by the turbine is 12000 kW. The enthalpies of gases at the inlet and outlet are 1260 kJ/kg and 400 kJ/kg respectively, and the velocity of gases at the inlet and outlet are 50 m/s and 110 m/s respectively. Calculate :
  - (i) The rate at which heat is rejected to the turbine, and

(ii) The area of the inlet pipe, given that the specific volume of the gases at the inlet is 0.45 m3/kg

(b) Show that the heat transfer through a finite temperature difference is irreversible.

(c) A system at 500 K receives 7200 kJ/min from a source at 1000 K. The temperature of atmosphere is 300 K. Assuming that the temperatures of system and source remain constant during heat transfer find out : (i) The entropy produced during heat transfer :

- (ii) The decrease in available energy after heat transfer.
- (a) Three reversible engines of Carnot type are operating in series between the limiting 3. 10 temperatures of 1100 K and 300 K. Determine the intermediate temperatures if the work output from engines is in proportion of 3:211.
  - Explain the principle of increase of entropy. (b)

(c) Derive the first and second T-dS equations.

In a thermal power plant operating on an ideal Rankine cycle, superheated steam (a) 10 produced at 5 MPa and 500°C is fed to a turbine where it expands to the condenser pressure of 10 kPa. If the net power output of the plant is to be 20 MW, determine: i) heat added in boiler, in k.l/kg ii) the thermal efficiency, iii) the mass flow rate of steam in kg/sec.

(b)	Show that the efficiency of the Otto cycle depends only on the compression ratio.	5
(c)	Define volumetric efficiency of a compressor. On what factors does it depend?	5

#### 76641

#### Page 1 of 2

8B9F53D3223144C74BCE2CC990C277E6

20

5

5

5

5

5

5

# Paper / Subject Code: 51602 / Thermodynamics

- (a) One kg of air at 1 bar and 300 K is compressed adiabatically till its pressure becomes 5 times the original pressure. Subsequently it is expanded at constant pressure and finally cooled at constant volume to return to its original state. Calculate the heat and work interactions and change in internal energy for each process and for the cycle.
  - (b) State the Zeroth law of thermodynamics. What is it's significance?
  - (c) Deduce the expression for available energy from a finite energy source at temperature T when the ambient temperature is T<sub>e</sub>.
- (a) An oil engine takes in air at 1.01 bar, 20°C and the maximum cycle pressure is 69 10 bar. The compression ratio is 18. Calculate the air standard thermal efficiency based on the dual combustion cycle. Assume that the heat added at constant volume is equal to the heat added at constant pressure.
  - (b) A single stage, single acting air compressor running at 1000 rev/min delivers air at 25 bar. For this purpose the induction and free air conditions can be taken as 1.013 bar and 15°C, and the FAD as 0.25 m<sup>3</sup>/min. The clearance volume is 3% of the swept volume and the bore/stroke ratio is 1.2/1. Calculate:
    - (i) the bore and stroker, (i)
    - (ii) the volumetric efficiency;
    - (iii) the indicated power.
    - (iv) the isothermal efficiency,

Take the index of compression and re-expansion as 1.3

76641

NAVI MUMB

8B9F53D3223144C74BCE2CC990C277E6



N.B.

# SE-sem-III - Chuice Band - Mreich aiktedspace.org

Paper / Subject Code: 51603 / Strength of Materials

(3 Hours)

[Total Marks: 80]

20

1. Question No.1 is compulsory.

2. Answer any three questions from remaining questions. Assume suitable data if required.

Figure to the right indicates full marks.

- Answer any four of the following. Q.1

  - a. Derive an expression for the strain energy due to suddenly applied load.
  - b. Derive the relation between load, shear force and bending moment. c. Write the assumptions made in theory of pure torsion and derive torsional
  - d. Draw shear stress distribution diagram for symmetry I section, T section and
  - e.
  - Write the assumption for simple bending and derive the flexural formula. f. Find the maximum power that can be transmitted through 50 mm diameter shaft at 150 rpm, if the maximum permissible shear stress is 80 N/ mm².

- Q.2 A bar of brass 20 mm is enclosed in a steel tube of 40 mm external diameter and 10 a. 20 mm internal diameter. The bar and the tubes are initially 1.2 m long and are rigidly fastened at both ends. If the temperature is raised by 60°C, find the Given:  $Es = 2 \times 10^3 \text{ N/mm}^2$  $Eb = 1 \times 10^5 N/c$


$$a_{\rm r} = 11.6 \pm 10^{\circ} \,{\rm N/mm^2}$$

11.6 × 10-0/°C  $\alpha_b = 18.7 \times 10^{+6/9} \text{C}.$ 


b. The state of stress at a point in a strained material is as shown in Fig. Determine (ii) the magnitude of principal stresses and 10

(iii) the magnitude of maximum shear stress,

Indicate the direction of all the above by a sketch.




Find slope at point A & B deflections at points C & D for a beam as shown in fig. 10 Q.3 a.




70863

Page 1 of 2




10

b. Draw SF and BM diagrams for the beam shown in figure.



Q.4 A vertical column of rectangular section is subjected to a compressive load of 10 a. P=800 KN as shown in fig. Find the stress intensities at the four comers of the column.



- b. A propeller shaft is required to transmit 50 kW power at 500 rpm. It is a hollow 10 shaft, having an inside diameter 0.6 times of outside diameter and permissible shear stress for shaft material is 90 N / mm<sup>2</sup>. Calculate the inside and outside diameters of the shaft.
- Q.5 A cylindrical shell is 3m long and 1.2m in diameter and 12mm thick is subjected 10
- a. to internal pressure of 1.8 N/mm<sup>2</sup> calculate change in dimensions and volume of shell. Take E=210 kN/mm<sup>2</sup> 1/m=0.3
- A simply supported beam of length 3 m and a cross section of 100 mm×200 mm 10 carrying a UDL of 4 kN/m, find
  - 1. Maximum bending stress in the beam.
    - 2. Maximum shear stress in the beam.
    - The shear stress at point 1 m to the right of the left support and 25 mm below the top surface of the beam.
- A 400 mm long bar has rectangular cross-section 10 mm × 30 mm. This bar is
   subjected to

(i) 15 kN tensile force on 10 mm × 30 mm faces.

(ii) 80 kN compressive force on 10 mm × 400 mm faces, and

(iii) 180 kN tensile force on 30 mm × 400 mm faces.

Find the change in volume if  $E = 2 \times 105 \text{ N/mm}^2$  and 1/m = 0.3.

b. A hallow cylindrical CI column is 4 m long with both end fixed. Determine the minimum 10 diameter of the column, if it has to carry a safe load of 250 KN with a FOS of 5. Take internal diameter as 0.8 times the external diameter E=200 GN/m<sup>2</sup>.

70863

# Page 2 of 2 EE3BC0983D326D114F812BDFD25717D9



SE-sen - III - Choice Based - Mech

aiktcdspace.org

22

11/19

Paper / Subject Code: 51604 / Production Process -I

# Total Marks- 80

# **Duration: 3 Hours**

	<ol> <li>First Question (Q.1) is Compulsory.</li> <li>Attempt any 3 questions from the remaining 5 (Q.2 - Q.6) questions.</li> <li>Figures to the right indicate full marks</li> <li>Proportionate and labelled for the relationship to the rest.</li> </ol>			
	<ol><li>Proportionate and labelled free-hand sketches would do</li></ol>			
Q. 1 a b	applications, advantages and limitations	10		
186	What's a pattern? How's it different from casting? Discuss various allowances on pattern and the material alternatives for pattern making.	10		
Q. 2 a)	TO REPARE TO	14.04		
<ul> <li>Explain working of Submerged Are Welding with its applications, advant</li> </ul>		10		
	and limitations.	10		
Q. 3 a)	Discuss physics of electric welding are with the help of diagrams,	10		
b)	Explain the working principle of resistance spot welding process with the help of diagrams.	$10 \\ 10$		
Q. 4 a)	A MARKEN OF MARKEN AND AND AND AND AND AND AND AND AND AN	10		
b)	Draw and explain significance of various elements of gating system in sand 10 casting.			
Q. 5 a)	Draw and explain working of screw injection moulding of polymers with its applications, advantages and limitations.			
b)	Draw and explain various operations possible on Centre Lathe. 10			
Q. 6	Write short notes on (Any four) MUMBAI - MOW			
a)	Various soldering techniques,	20		
b)	Pressurized and Non-pressurized gating system in founding practice			
c)	Electron Beam Welding.			
(b	Reacting moulding of a l			

- d) Reaction moulding of polymers.
- e) Classification of manufacturing processes.
- f) Quick return mechanism on shaper.

IR@AIKTC

aiktcdspace.org

Paper / Subject Code: 51605 / Mateial Technology SF-sem-II- choia based - Mech

# Time: 3 hours

Marks [80]

# NB: 1, Q.1 is compulsory

- 2. Solve any three from the remaining .
- 3. All questions carry equal marks

#### Q.1 Answer any four:

- 1. Define composite and discuss its classification.
- 2. Discuss the differences and similarities between slip and twinning.
- 3. Why FCC metals are in general more ductile than BCC and HCP metals?
- 4. What are MR fluids? Where are they used?
- 5. What are limitations of Plain carbon steel? Explain the alloying effect on phase transformations.

## Q.2

1. Define critical cooling rate. Describe various cooling curves on TTT	diagram How such as
are drawn? What factors affect critical cooling rate?	anagram. How such curves

2. What is strain hardening? Explain the phenomenon on the basis of dislocation theory. Also discuss role of Frank reed source in strain hardening. 10

# Q.3

- What is fatigue of metals? Explain the method of testing the metals for fatigue. Draw and discuss the S-N diagram.
- Define creep. Draw the creep curve and explain the stages of creep. Discuss the development of creep resisting materials.
   10

# Q.4

- Draw Fe-Fe<sub>3</sub>C equilibrium diagram and label the temperatures, composition and phases.
   Describe the condition of the O theory of the Conditional Conditiona Conditional Conditional Conditional Cond
- Describe the cooling of the 0.4%C steel from liquid state to room temperature. Calculate the phases in this steel obtained at room temperature.
   10

#### Q.5

- 1) Define hot and cold working. Compare the two processes giving a few examples for each.
- What is Hardenability? What are factors affecting hardenability? Explain Jominy End Quench test.
   10

# Q.6 Answer any four-

- 1) Discuss the importance of heat treatments.
- A slowly cooled steel contains 40% ferrite and 60% pearlite at room temperature. Determine the amount of total ferrite and cementite present in the alloy.
- 3) Discuss the Rule of mixtures and its use.
- 4) What are smart materials? Discuss a few of them giving applications for the same.
- 5) Discuss with a neat diagram any one method used for nanomaterial synthesis.

71230

Page 1 of 1

D1F9F7C36E6E62DC420FF76DB77FA60A

20

20

26/11/19