School of Architecture

School of Engineering & Technology

School of Pharmacy

THE REWING CONTRACTORS IN THE

KALSEKAR TECHNICAL CAMPUS

Knowledge Resource & Relay Centre (KRRC)

AIKTC/KRRC/SoET/ACK	Date:				
School: SoET-CBSGS	Branch: _	COMP. ENGG,	SEM:	VШ	-

To, Exam Controller, AIKTC, New Panyel.

Dear Sir/Madam,

Received with thanks the following Semester/Unit Test-I/Unit Test-II (Reg./ATKT) question papers from your exam cell:

For	No. of	
SC	HC	Copies
	V	02
	1	02
	V	02-
	V	02

Note: SC - Softcopy, HC - Hardcopy

(Shaheen Ansari) Librarian, AIKTC 65

Paper / Subject Code: 52706 / Data Warehouse and Mining

BE-sem-VIII- CBS(5- COMPS

Q.P. Code: 25960

## Time: 03 Hours

Marks: 80

Note: 1. Question 1 is compulsory

2. Answer any three out of remaining questions.

Q1 A) Consider following dimensions for a Supermarket chain: Product, Store, Time and [10] Promotion. With respect to this business scenario, answer the following questions. Clearly state any reasonable assumptions you make.

(a) Design an information package diagram for this business scenario.

(b) Design a snowflake schema for the data warehouse, clearly depicting the fact table(s), Dimension table(s), their attributes and measures.

B) Consider the 5 transactions given below. If minimum support is 30% and minimum [10] confidence is 80%, determine the frequent itemsets and association rules using Apriori algorithm.

Transaction	Items			
TL	Milk, Jam, Butter			
12	Milk, Butter			
13	Milk, Cheese, Butter			
T4	Biscuit, Milk,			
15	Biscuit, Cheese			

Q2 A) Consider a Data Warehouse for a sport manufacturing company storing sales details [10] of various sports equipments sold, and the time of the sale. Using this example describe the following OLAP operations:
 (i) Slice (ii) Dien (iii) Pattern (iv) Drift D

(i) Slice (ii) Dice (iii) Rollup (iv) Drill Down (v) Pivot

- B) What is data mining? Describe the steps involved in the data mining when viewed [10] as a process of knowledge discovery. Present an example where data mining is crucial to success of business.
- Q3 A) What is Dimension Modeling? What is slowly changing dimensions? How this [10] problem is solved? Give example.
  - B) Given is the training data for height classification, classify the tuple t= <Arvish, [10] M, 1.97 > using Bayesian classification.

Name	Gender	Height	Output
Reena	F	1.6 m	Short
Mahesh	M	2 m	Tall
Tina	F	1.9 m	Medium
Meeta	F	1.88 m	Medium



CF2EE518135A3F04241DECDA8317FE7C

# Paper / Subject Code: 52706 / Data Warehouse and Mining

O.P. Code: 25960

Sixa	F	1	Short
Vikram	M	1.85 m	Medium
Lakshmi	F	1.6 m	Short
Andrew	M	1.7 m	Short
Menry	М	2.2 m	Tall
Akhil	M	2.1 m	Tall
Lata	F	1.8 m	Medium
Siraj	M	1.95 m	Medium
Rita	F	1.9 m	Medium
Kriti	F	1.8·m	Médium
Srishti	F	1.75 m	Medium

- Q4 A) Differentiate between top-down and bottom-up approaches for building data [10] warehouse: Discuss the merits and limitations of each approach. Also explain the practical approach for designing a data warehouse.
  - B) What is clustering? Explain K means clustering algorithm. 1101 Suppose the data for clustering is {2, 4, 10, 12, 3, 20, 30, 11, 25, 5, 36, 41, 14]. Assuming number of clusters to be 2 i.e. K = 2, cluster the given data using above algorithm.
- Q5 A) Describe different steps of ETL (Extraction, Transformation and Loading) cycle in [10] Data Warehousing for a pharmaceutical company.

	B) What is Web Mining? Explain Web Usage Mining,	[10]
Q0	Write short note on the following (Answer any FOUR)	(20)

(20)

\*\*\*\*\*\*\*\*\*\*

- a) Hierarchical Clustering Algorithms
- b) Metadata in Data Warehouse
- c) Decision tree Classification Model
- d) Snapshot and Transaction tables
- Data Exploration

Page 2 of 2

(F2EE518135A3F04241DECDA8317FE7C

BE-sem-VII-CBSGS-Computer

20/5/10

## Paper / Subject Code: 52707 / Human Machine Interaction

### Max.Marks:80

Time: 3 hours

	2. Attempt any 3 from Q2 to Q6,	
	3. Indicate your answer with various sketches whenever necessary.	
QI.	Attempt any four.	[20]
	(a) List pros and cons of any one modern device in design of a tutor for kid	is.
	(b) List techniques in qualitative research.	
	(c) Differentiate between direct and indirect manipulation.	
	(d) Explain goal directed design in brief.	
	(e) What are keyboard accelerators? Explain.	
Q2.	(a) Provide all factors of UI design. Give an example for incorporat	ing [10]
	innovative technologies.	
	(b) Explain in details Gestalts principal.	F101
Q3.	(a) Give brief description of GUI and web papges.	fiot
	(b) Explain seven stages of action and three levels of processing.	[10]
Q4	(a) Explain six behavioral patterns in details.	[10]
	(b) Differentiate between quantitative and qualitative research in knowing users.	the [10]
Q5	(a) State and explain principles of Gestalts theory, Give example.	[10]
	(b) Provide suitable analysis and Interface design for state road transportat system.	ion [10]
Q6	Write Short notes on following (Any Four).	[20]
	(a) Statistical Graphics	- P
	b) Guidance and Feedback :	
	c) Interview Questions	
	at Scient directed Design	
	(e) Device based control	
	0 Heability Darian Dringinlar	

(f) Usability Design Principles.

Note: 1. Question 1 is compulsory.

\*\*\*\*\*\*\*\*

55381

B297E767DF520ADB91CFF850B668D81B

69

BE-sem-VITI- CBS4S- comps

(0)	$\mathcal{D}$		BE-Sem-VII - CBS48- Comps Paper / Subject Code: 52708 / Parallel and Distributed Systems		24/5/19
			(3 hrs) Marks: 8	0	
	N.B	(1) (2) (3)			
	Q1-	a) b)	What are various issues of distributed system? Suppose through experimentation it was verified that 70% of execution was spent on parallelizable execution. What are the maximum speedup and efficiency those can be achieved with 8 processors?	05 05	
		c)	Justify how Ricart-Agrawala's algorithm optimized the Message overhead in achieving mutual exclusion.	05	
		d)	<ul> <li>Give examples for the following message communication models</li> <li>Transient Synchronous</li> <li>Response based synchronous communication</li> </ul>	05	
			<ul> <li>Transient asynchronous</li> <li>Persistent Asynchronous</li> <li>Receipt based communications</li> </ul>		
	Q2.	aj	Brief the different load estimation policies and process transfer policies used by Load balancing algorithm.	10	
		b)	Discuss the Structural and Data hazards in Pipeline architecture. Discuss any one technique to control / mitigate them in detail.	10	
	Q3.	a)	Design and analyze 3-stage pipeline operations executing the following task: Xn + Yn = Zn, for $n = 1, 2, 3,, 7$ .	10	
		b)	Describe any one method of Logical Clock synchronization.	10	
	Q4	a)	Clearly explain how Monotonic Read consistency model is different from Read your Write Consistency model. Support your answer with suitable example application scenarios where each of them can be distinctly used.	10	•
		b)	Discuss the need for process migration and the role of resource to process and process to resource binding in process migration	10	
	Q5	a)	Apply quicksort parallel algorithm for the following example: 16, 08, 33, 45, 25, 19, 53, 06	10	
		b)	Differentiate between Distributed OS, Network OS and Middleware based OS	10	
	Q6	1	Write a note on any two of the following	20	
		a)	Hadoop Distributed File System		

b) Systolic Architecture

c) RPC and RMI

68101

Page 1 of 1

ż

AC31A4B895B758FBB750071CA08B1CBC

## BI-SEM-VIII-CBS4S-COMPS

Paper / Subject Code: 52701 / Elective- III 1) Machine Learning

#### Time: 03 Hours

8/5/19

Marks: 80

[5]

[10]

- Note: 1. Question 1 is compulsory
  - 2. Answer any three out of remaining five questions.
  - 3. Assume any suitable data wherever required and justify the same.
- Q1 a) Define Machine Learning (ML) Briefly explain the types of learning. [5]
  - b) "Entropy is a thermodynamic function used to measure the disorder of a system in [5] Chemistry." How do you suitably clarify the concept of entropy in ML?
  - c) State the principle of Occam's Razar. Which ML algorithm uses this principle? [5]
  - d) Explain Bayesian Belief Network with an example.
- Q2 a) Use the k-means clustering algorithm and Euclidean distance to cluster the following [10] eight 8 examples into three clusters:
   A1= (2, 10), A2= (2, 5), A3= (8, 4), A4= (5, 8), A5= (7, 5), A6= (6, 4), A7= (1, 2), A8= (4, 9). Find the new centroid at every new point entry into the cluster group. Assume initial cluster centers as A1, A4 and A7.
  - b) Compare and contrast Linear and Logistic regressions with respect to their [10] mechanisms of prediction.
- Q3 a) Find predicted value of Y for one epoch and RMSE using Linear regression.

X	Y-Actual
2	1
3	3
4	6
5	9
6	11
7	13
8	15
9	17
10	20

b) Find the new revised theta for the given problem using Expectation -Maximization [10] Algorithm for one epoch.

1	H	T	T	T	Н	Н	T	H	T	H
2	Н	H	Н	H	Н	Т	Н	Н	н	H
3	Н	Ť	H	Н	Н	н	H	Т	Н	H
4	H	T	H	Ŧ	Т	T	н	H	T	T
5	T	H	H	H	Т	H	Н	Н	T	H

 $\Theta_A = 0.6$  and  $\Theta_B = 0.5$ 

69459

# Paper / Subject Code: 52701 / Elective- III 1) Machine Learning

Q4 a) For the given set of points identify clusters using single linkage and draw the [10] dendrogram with cluster separation line emerging at 1.3. Find how many clusters are formed below the line?

Dist	A	B.	C	ET.	E	F
A (	0.00	0.71	5.66	3.61	4.24	3.20
8			4.95			
e 2		1.42	0.00	2.24	1.41	2.50
0			2.21			
2	1.5	1.04	141	1.00	0.80	1.12
1		3.50	250	0.50	1.11	10-410

 b) Use Principal Component Analysis (PCA) to arrive at the transformed matrix for [10] the given matrix A. Λ<sup>T</sup> = 2 - 1 - 0 - 1

1	- 2	1	- 0	-1
	4	3	1	0.5

- Q5 a) Find optimal hyper plane for the following points: {(1, 1), (2, 1), (1, -1), (2,-1), (4, 0), (5, 1), (6, 0)}
  - b) The following table consists of training data from an employee database. The data [10] have been generalized. For example, "31....35" for age represents the age range of 31 to 35. For a given row entry, count represents the number of data tuples having the values for department, status, age, and salary given in that row. Let the status be the class-label attribute.
    - (i) Design a multilayer feed-forward neural network for the given data. Label the nodes in the input and output layers.
    - (ii) Using the multilayer feed-forward neural network obtained in (i), show the weight values after one iteration of the back propagation algorithm, given the training instance "(sales, senior, 31 ..... 35, 46K ...., 50K)".

Assume initial weight values and biases. Assume learning rate to be 0.9. Use binary input and draw (one input layer, one output layer and one hidden layer) neural network. Solve the problem for one epoch.

department	status	ilge	salary	<ount< th=""></ount<>
alles	sch(d)(	31 15	40K 50K	
121-	itunau	30	265 305	
sultas	annior	12 35	41 K 15K	
Welegin	hinter	21 . 45	16k 50K	20
waterns	sention	31 . 35	66K 70K	3
· · · · stornia	itimor.	26	46K 50K	3
ACCEPTES .	senior	41 45	56K 30K	
marketnig	senser	36 48	46K 50K	10
marketing	(intro))	M	418 . 43K	-
secretary	- 601123-	40 50	56K 40K	4
acceptary.	Micha	. K 181.	26K 10K	in .

- Q6 Write short notes on any two of the following:
  - a) Machine Learning Applications
  - b) Temporal Difference Learning
  - c) Independent Component Analysis

69459

### Page 2 of 2

52D665BA610210D6637CEC2F4939C510

[20]

[10]