

School of Engineering & Technology

School of Pharmacy

### KALSEKAR TECHNICAL CAMPUS

TEACHING · EXUBERANT LEARNING

Knowledge Resource & Relay Centre (KRRC)

AIKTC/KRRC/SoP/ACKN/QUES/202	11_	-22	/

School: SoP-PCI

Branch: SoP

SEM: III

To,

Exam Controller,

AIKTC, New Panvel.

Received with thanks the following Semester/Periodic question papers from your exam cell:

Sr. No.	Subject Name	Subject Code	Format SC HC	No. of Copies
1	Pharmaceutical Organic Chemistry II	BP301T		
2	Physical Pharmaceutics I ATKT	BP302T		
3	Pharmaceutical Microbiology	BP303T		
4	Pharmaceutical Engineering	BP304T	ラボ	
	-316	1.0		
	NAVIM	AIGHT .		
	MUMBE	1 - 11		

Note: SC - Softcopy, HC - Hardcopy

(Shaheen Ansari) Librarian, AIKTC

#### SET I

Subject: Pharmaceutical Organic Chemistry II

**Duration: 3Hours** 

Year and Sem: Second Year III SEM

Total marks: 80

N.B.: 1. All questions are compulsory

2. Figures to right indicate full marks Choose appropriate option for following multiple choice based questions. 20 Q. 1 1 According to Baeyer's theory deviation, the normal bond angle is a | 60°

C 109.5° d 45° 2 Which one of the following is used for determination of volatile, water soluble fatty acids? a lodine value b Saponification value C Reichert Meissl value d Acid value 3 cannot be oxidized by KMnO4 a Naphthalene b Anthracene C Phenanthrene d Biphenyl 4 Which of the following is most deactivated towards electrophilic aromatic substitution? a Benzene nitrile b Toluene C 2-Hydroxybenzaldehyde d 4-Nitroanisole 5 According to Baeyer's theory deviation for cyclopropane is a 60° b 49.5° C 109.5° d 90° 6 The given structure is and is used as	b	70°
2 Which one of the following is used for determination of volatile, water soluble fatty acids?  a lodine value  b Saponification value  C Reichert Meissl value.  d Acid value  3 cannot be oxidized by KMnO4  a Naphthalene  b Anthracene  C Phenanthrene  d Biphenyl  4 Which of the following is most deactivated towards electrophilic aromatic substitution?  a Benzene nitrile  b Toluene  C 2-Hydroxybenzaldehyde  d 4-Nitroanisole  5 According to Baeyer's theory deviation for cyclopropane is  a 60°  b 49.5°  C 109.5°  d 90°  6 The given structure is and is used as	С	
fatty acids?  a lodine value  b Saponification value  C Reichert Meissl value  d Acid value  3	d	
a lodine value b Saponification value C Reichert Meissl value d Acid value 3 cannot be oxidized by KMnO4 a Naphthalene b Anthracene C Phenanthrene d Biphenyl 4 Which of the following is most deactivated towards electrophilic aromatic substitution? a Benzene nitrile b Toluene C 2-Hydroxybenzaldehyde d 4-Nitroanisole 5 According to Baeyer's theory deviation for cyclopropane is a 60° b 49.5° C 109.5° d 90° 6 The given structure is and is used as	2	
b Saponification value C Reichert Meissl value d Acid value 3		
C Reichert Meissl value d Acid value 3	а	
d Acid value 3		
a Naphthalene b Anthracene C Phenanthrene d Biphenyl 4 Which of the following is most deactivated towards electrophilic aromatic substitution? a Benzene nitrile b Toluene C 2-Hydroxybenzaldehyde d 4-Nitroanisole 5 According to Baeyer's theory deviation for cyclopropane is a 60° b 49.5° C 109.5° d 90° 6 The given structure is and is used as		Reichert Meissi value
a Naphthalene b Anthracepe C Phenanthrene d Biphenyl 4 Which of the following is most deactivated towards electrophilic aromatic substitution? a Benzene nitrile b Toluene C 2-Hydroxybenzaldehyde d 4-Nitroanisole 5 According to Baeyer's theory deviation for cyclopropane is a 60° b 49.5° C 109.5° d 90° 6 The given structure is and is used as		
b Anthracene C Phenanthrene d Biphenyl  Which of the following is most deactivated towards electrophilic aromatic substitution? a Benzene nitrile b Toluene C 2-Hydroxybenzaldehyde d 4-Nitroanisole 5 According to Baeyer's theory deviation for cyclopropane is a 60° b 49.5° C 109.5° d 90° 6 The given structure is and is used as	3	
C Phenanthrene d Biphenyl  Which of the following is most deactivated towards electrophilic aromatic substitution?  a Benzene nitrile b Toluene C 2-Hydroxybenzaldehyde d 4-Nitroanisole 5 According to Baeyer's theory deviation for cyclopropane is a 60° b 49.5° C 109.5° d 90° 6 The given structure is and is used as		The state of the s
d Biphenyl  Which of the following is most deactivated towards electrophilic aromatic substitution?  a Benzene nitrile  b Toluene  C 2-Hydroxybenzaldehyde  d 4-Nitroanisole  5 According to Baeyer's theory deviation for cyclopropane is  a 60°  b 49.5°  C 109.5°  d 90°  6 The given structure is and is used as  a Chloramine, disinfectant		
4 Which of the following is most deactivated towards electrophilic aromatic substitution?  a Benzene nitrile  b Toluene  C 2-Hydroxybenzaldehyde  d 4-Nitroanisole  5 According to Baeyer's theory deviation for cyclopropane is  a 60°  b 49.5°  C 109.5°  d 90°  6 The given structure is and is used as		
substitution?  a Benzene nitrile  b Toluene  C 2-Hydroxybenzaldehyde  d 4-Nitroanisole  5 According to Baeyer's theory deviation for cyclopropane is  a 60°  b 49.5°  C 109.5°  d 90°  6 The given structure is and is used as		
a Benzene nitrile b Toluene C 2-Hydroxybenzaldehyde d 4-Nitroanisole 5 According to Baeyer's theory deviation for cyclopropane is a 60° b 49.5° C 109.5° d 90° 6 The given structure is and is used as	4	
b Toluene C 2-Hydroxybenzaldehyde d 4-Nitroanisole 5 According to Baeyer's theory deviation for cyclopropane is a 60° b 49.5° C 109.5° d 90° 6 The given structure is and is used as		
C 2-Hydroxybenzaldehyde d 4-Nitroanisole 5 According to Baeyer's theory deviation for cyclopropane is a 60° b 49.5° C 109.5° d 90° 6 The given structure is and is used as		Benzene munie
d 4-Nitroanisole  5 According to Baeyer's theory deviation for cyclopropane is  a 60°  b 49.5°  C 109.5°  d 90°  6 The given structure is and is used as		
5 According to Baeyer's theory deviation for cyclopropane is  a 60° b 49.5° C 109.5° d 90° 6 The given structure is and is used as		
a 60° b 49.5° C 109.5° d 90° 6 The given structure is and is used as		
b 49.5° C 109.5° d 90° 6 The given structure is and is used as  a Chloramine, disinfectant		
d 90°  The given structure is and is used as  a Chloramine, disinfectant		
d 90°  The given structure is and is used as  a Chloramine, disinfectant		
6 The given structure is and is used as  a Chloramine, disinfectant		
a Chloramine, disinfectant		
b DDT pesticide	а	Chloramine, disinfectant
a bolyposition	b	DDT, pesticide
C Saccharin, sweetener	С	Saccharin, sweetener
d BHC, agricultural insecticide	d	BHC, agricultural insecticide

7	Which one of the following formulas corresponds to an unsaturated fatty
	acid?
a	C <sub>13</sub> H <sub>27</sub> COOH
b	C <sub>15</sub> H <sub>31</sub> COOH
C	C <sub>17</sub> H <sub>33</sub> COOH
d	C <sub>17</sub> H <sub>35</sub> COOH
8	The main sources of naphthalene, anthracene and phenanthrene are
a	Petroleum
b	Biogas and petroleum
С	Petroleum and coal tar
d	Natural gas
9	Which of the following is most reactive towards sulphonation?
а	Toluene
b	Chlorobenzene
С	Nitrobenzene
d	<i>m</i> -Xylene
10	The free hydroxyl groups in the fat or oil can be determined by
а	Acid value
b	Saponification value
C	lodine value
d	Acetyl value
11	lodination of diazonium salts can be done by using
а	KI, Z DE BENEFIT DE SEZ
b	Cul
С	BF <sub>3</sub> L
d	
12	Which of the following is linearly fused polynuclear aromatic hydrocarbon?
а	Biphenyl
b	Anthracene
C	Phenanthrene
d	Benzene
13	Which of the following is not related to EAS reaction?
a	Formation of benzyne
b	Formation of σ-complex
C	Generation of electrophile
d	Synthesis of nitrobenzene
14	Liquid oils can be converted to solid fats by
	Hydrogenation
a b	Saponification
С	Hydrolysis Ovidation of double bonds
d	Oxidation of double bonds
15	The probable starting material for the synthesis of o-Toluic acid could be
a	p-Toluidine
b	o-Toluidine
С	m-toluidine
d	o-Anisidine

		T
16	When phenol is treated with excess bromine water, it gives	
а	m-bromophenol	
b	o- and p-bromophenol	
С	2,4-dibromophenol	
d	2,4,6-tribromophenol	
17	Oxidation-Polymerization reaction of oil is called as	
а	Hardening	
b	Rancidity	ļ
С	Drying	
d	Hydrolysis	
18	2-bromo-aniline is less basic than 4-bromoaniline because of—	
а	Electron withdrawing effect of bromine	
b	Ortho effect	
С	Electron releasing effect of bromine	
d	Inductive effect	
19	Identify the structure and its use	
	1.00° TH: ILEM	
	TOWN HUMBING SC	
	Resorcinol, topical analgesic	
b	m-cresol, disinfectant	
C	o-cresol, antiseptic	
d	m-cresol, antiseptic	
20	In the given reaction, identify the electrophile and the nucleophile	
20	aq. NaOH	
	$\langle - \rangle_{N \equiv NH} + \langle - \rangle_{-0} \xrightarrow{ad. NaOH} \langle - \rangle_{N=N} - \langle - \rangle_{-0}$	
		-
а	Diazonium compound is electrophile and phenoxide ion is the nucleophile	-
b	Diazonium compound is nucleophilic while phenoxide ion and coupled	
	product is the electrophilic	-
С	Both the reactants are nucleophilic	-
d	Both the compounds are electrophilic	4.2
Q. 2 A	Answer any one question.	12
а	i) Identify which of the following molecules will readily undergo electrophilic	
	aromatic substitution: Using this molecule, suggest a suitable scheme for the	
	synthesis of 4-Hydroxyacetanilide. (6M)	
	CHO SO <sub>3</sub> H NO <sub>2</sub>	
	ii) Discuss the effect of -Cl, -NO <sub>2</sub> , -OCH <sub>3</sub> in the para position on acidity of	
	benzoic acid. With the help of simple chemical reagents, predict how you will	
	distinguish between salicylic acid and benzoic acid. (6M)	
		1
h	i) Which of the following molecules will undergo Friedel Crafts alkylation?	
b	i) Which of the following molecules will undergo Friedel Crafts alkylation?  Justify your answer. Give the detailed reaction mechanism for Friedel Crafts	

	OR OR both?	
į	ii) Why arylamines are weaker bases than cyclohexylamines? Give the factors affecting basicity. Arrange the following compounds in increasing order of basicity. p-chloro aniline, p-methyl aniline, aniline, p-nitro aniline. Justify your answer. (6M)	
Q. 2 B		48
а	<ul> <li>i) Comment on the term rancidity of fat or oils with reactions and examples.</li> <li>Explain how rancidity of fat or oils is related to acid value? (6M)</li> <li>ii) How oils are structurally distinguished from fats? Explain the structural changes occurring in oil during hardening process with suitable example. (6M)</li> </ul>	12
b	i) Arrange benzene, naphthalene, anthracene and phenanthrene in increasing order of reactivity towards electrophilic aromatic substitution reactions. Justify the order. Discuss Pschorr synthesis of phenanthrene. (6M) ii) Write the following reactions of anthracene (any three) (6M) a) Reaction with maleic anhydride b) Cl <sub>2</sub> in CCl <sub>4</sub> c) H <sub>2</sub> SO <sub>4</sub> d) AlCl <sub>3</sub> in benzene, CH <sub>3</sub> COCl	12
С	<ul> <li>i) Discuss the structural differences between cyclopropane and cyclobutane with their reactivity. (6M)</li> <li>ii) Discuss in detail Baeyer's angle strain theory with its limitations. (6M)</li> </ul>	12
d	i) Identify whether following compounds are aromatic, antiaromatic or nonaromatic. (6M)	12
	ii) Describe the diazotization. Give reaction to synthesize azo dye compound. Give the applications of azo dyes. (6M)	
	i) Explain the terms Acid Value, Saponification Value and Iodine Value of fat or oil. Write the principle and significance of determination of these values. (6M) ii) Give the medicinal uses of anthracene and phenanthrene. (3M) iii) Draw the conformations of cyclohexane and comment on their stabilities. (3M)	12

22.07.2022

Subject: Physical Pharmaceutics-I

Year and Sem: Second year B Pharm., Sem. III,

CBCS (Revised 2019)

**Duration: 3 hours** 

Total marks: 80

N.B.: 1. All questions are compulsory

2. Figures to right indicate full marks

Q. 1	Choose appropriate option for following multiple choice based questions.	20
1	Raoult's law describes	
а	how the solubility of gas varies with pressure	
b	how partial pressure of gas varies with temperature	
С	how partial pressure of solvent vapour varies with solute concentration	
d	how partial pressure of solvent vapour varies with solute molecular mass	
	LAR BETTERN TELL	
2	Solubility of a substance in decreasing order is as follows	
а	Crystalline, metastable, amorphous	
b	Crystalline, amorphous, metastable	
С	Amorphous, metastable, crystalline	
d	Amorphous, crystalline, metastable	
3	In endothermic processes solubility increases with the	
a	Decrease in temperature	
b	Increase in viscosity	
С	Decrease in volume	
d	Increase in temperature	
4	Fick's law is used for the study of	
а	Dissolution rate	
b	Disintegration rate	
С	Dissociation rate	
d	Diffusion	
5	When oil is dispersed in a polar solvent using surfactants, the process is called	
a	Polarization	
b	Emulsification	
С	Gelatinization	
d	Solubilization	
6	Relative humidity is measured by using	
a	Hygrometer	
)	Manometer	
<u> </u>	Viscometer	
d	Stalagmometer	
7	For the proper functioning of aerosol, adequate vapour pressure is needed	
	for this component	

а	Propellant	-
b	Actuator	_
С	Drug Solution	_
d	Preservative	
8	Amorphous solid is	
а	isotropic	_
b	anisotropic	
С	hydrotropic	
d	mesotropic	
AB - A - A-B		
9	Optically active substance is able to show its optical activity due	
	to	_
а	Chiral Carbon in molecule	_
b	Symmetry in molecule	
С	Polarity of molecule	
d	Cohesivity of molecule	
	TO MENTAL SOIC	
10	Which of the following methods is used to determine surface tension?	
а	Rheometer	
b	Sonometer	
С	Stalagmometer	
d	Viscometer	
11	Higher the HLB value of surfactant, moreit is	
а	Hydrophilic	
b	Lipophilic	
С	Amphiphilic	
d	Water insoluble	
		_
12	The difference in the work of adhesion and the work of cohesion of liquids	
	on the surface of other liquid is known as	_
а	Spreading coefficient	
b	Henry's constant	_
С	Diffusion coefficient	
d	Kinematic viscosity	_
		_
13	The surface tension usually decreases with	_
а	Increase in temperature	
b	Decrease in temperature	
С	Addition of electrolytes	
d	Decrease in surfactant concentration	
	A description of the second of	_
14	Which of the following methods has an application in determination of	
	specific surface area of solids?	
а	Langmuir	

b	BET
С	Kisliuk
d	Freundlich
15	EDTA has coordination number
а	Six
b	Five
С	Four
d	Three
16	The donor: acceptor ratio of a complex can be obtained by
а	Solubility Method
b	Scanning electron microscopy
С	Differential Scanning Calorimetry
d	X- ray Diffraction
17	Identify the type of complex classified under organic molecular complex
a	PABA-Caffeine Complex
b	Starch jodine complex
c	Hexamine Cobalt Chloride complex
d	Beta Cyclodextrin-salicylic acid
18	pH of 0.01 N HCL is
а	2.00
b	0.699
С	1.699
d	1.2
	and the second s
19	Bursting of blood cells takes place insolution
a	Hypotonic
b	Hypertonic Isotonic
d	Neutral
u	Neutral
20	Buffer capacity can be defined as the ratio of increment of strong base or strong acid to the
а	Change in pH
b	Change in buffer index
С	Change in osmotic pressure
d	Change in temperature

(03)

Q. 2 A	Answer any one question.	12
а	Explain solubility by different solute-solvent interactions with suitable examples.	
b	What are the assumptions of Langmuir adsorption isotherm study? Derive the expression for Langmuir adsorption isotherms.	
Q. 2 B	Answer any four questions	48
а	Explain principle of drop count method used in determination of surface tension.  In the determination of surface tension of a liquid by the drop-number method, it gives 55 drops while water gives 25 drops for the same volume. The densities of the liquid and water are 0.996 and 0.800 g/cm3 respectively. Find the surface tension of the liquid if that of water is 72.0 dynes/cm.	
b	What is optical activity? With a neat labelled diagram explain the principle and working of polarimeter.	
С	State and explain Nernst distribution law of partition coefficient including its limitations. Explain the applications of partition coefficient in pharmacy.	
d	Classify complexes and explain different types of inclusion complexes.	
е	Give a detailed account of pharmaceutical buffers and buffer capacity.	





16.07.22

# S. Y.B PHARM SEMESTER III EXAMINATION 2022-2023 SUBJECT -MICROBIOLOGY

QUESTION:1: MCQ	
1) is an example of Light microscopy	
a) Scanning	
b) Transmission	
c)Dark Field	
d)Reflection	
2) An example of Indicator medium	
a) Mac Conkey Agar medium	
b) Nutrient Broth	
c) Nutrient Agar	
d) Czapeckdox medium	
The characteristic shape of the bacteria is maintained because of	ĺ
a) capsule	
b) cell wall	
c)cell membrane	
d) slime layer	
4) Magnification of oil immersion objective is	
a) 10x	
b) 40x	
c) 1000x	
d)100x	
5) developed pure culture technique.	
a) A.V. Leeuwenhoek	
b) John Tyndall	
c)Lister	
d) Robert Koch	
6) Who is known as Father of microbiology?	
a) A.V. Leeuwenhoek	
b) John Tyndall	
c)Lister	
d) Robert Koch	

010004

20

7) Test for sterility is intended to detect presence of \_\_\_

### S. Y.B PH. **SUBJECT**

S. Y.B PHARM SEMESTER III EXAMINATION 2022-2023 SUBJECT -MICROBIOLOGY	
a) Viable microorganisms	
b) Dust particles	
c)Particulate impurity	
d)Chemical impurity	
8) The full form of HEPA filter is	
a) High effective particulate air	
b) High effective particles in air	
c) High efficiency of particles in air	
d)High efficiency particulate air	,
9) Media prepared by addition of blood, serum or egg to basal media is c	a
a) Enriched media	
b) Enrichment media	
c) Selective media	ł
d) Differential media	
10) Preservation of microorganisms using liquid nitrogen is employed in	
a) Storage at low temperature	
b) Storage in sterile soil	
c) Storage in mineral oil	
d) Lyophilization	
11) Asbestos filters are also known as	
a) Berkefield filter	
b) Frittered glass filter	
c)Seitz filter	

12) Mordant used in gram staining is

d)Morton filter

- a) Crystal violet
- b) Gram's iodine
- c) Safranin
- d)Methylene blue
- 13) Which of the following agents are used as a preservative in ophthalmic solutions?
  - a) quaternary ammonium salts
  - b) alcohol

02009

### S. Y.B PHARM SEMESTER III EXAMINATION 2022-2023 SUBJECT - MICROBIOLOGY

d)Penicillium 20) Area of lysis caused by phage is known as a) pox b) plaque c)pocket d) pock Attempt any one question from the following б 1. A. Explain fractional sterilization in detail B. Write a note on Mechanical methods of Sterilization A. Define deferential staining and write principle and procedure of monochrome staining 6 1. B. write a note on dry heat sterilization methods along with chemical and biological indicators for the same. 6  $\Pi$ Attempt any four questions from the following 1. A. Define protoplast and write a note on cell wall of gram-positive bacteria 6 B. Write a note on reproduction in bacteria and add a note on capsule A. Describe in detail measurement of growth of bacteria. 6 B. Write in detail various methods of preservation of bacteria. 6 A. Write in detail about lysogenic cycle along with the diagram B. Explain sexual reproduction in fungi using a neat labelled diagram A.Enlist various methods used for evaluation sinfectant as antimicrobial agents and explain any one in detail 6 B. Define disinfection and write note on Halogens and heavy metals and their salts as disinfectants A. Write in detail about sterilization by Radiation B. What is turbidimetric assay for antibiotics? Write the advantages of turbidometry over diffusion assay.

040604

## S. Y.B PHARM SEMESTER III EXAMINATION 2022-2023 SUBJECT -MICROBIOLOGY

c)detergent

d)aldehydes

- 14) Positive air pressure means air flow from
  - a) Steady pressure
  - b) High pressure area to low pressure area
  - c)Low pressure area to high pressure area
  - d)Similar pressure at both side
- 15) Ingestion of DNA into bacterial cell by virus is also called as
  - a) Attachment
  - b) Maturation
  - c)Penetration
  - d)Biosynthesis
- 16) fungal cell wall is made up of
  - a) proteins
    - b) amino acids
  - c)peptidoglycan
  - d) chitin and glucan
- 17) Which of the following in vapour phase disinfectant
  - a) formaldehyde
  - b) soap
  - c)dyes
  - d)detergent
  - 18) Primary stain used in Acid fast staining is
    - a) Crystal violet
    - b) Carbol Fuschin
    - c) safranin
    - d)Malachite green
  - 19) Select the yeast from the following
    - a) Aspergillus
    - b) Saccharomyces
    - c) Streptomyces

030/04

ir.aiktclibrary.org

Subject: Pharmaceutical Engineering

**Duration: 3 Hrs** 

Year and Sem: Second Year Semester III

Total marks: 80

N.B.: 1. All questions are compulsory

2. Figures to right indicate full marks

). 1	Choose appropriate option for following multiple choice based questions.	20
1	Reynolds number depends on one of the following factor.	
a	Viscosity of the liquid	
b	Surface area of the pipe	
C	Roughness of the pipe	
d	Volume of the liquid	
2	Which of the following theory is used for the study of flow of fluids?	
a	Stoke's	
b	Charle's	1
С	Raymond's	
d	Bernoulis	
3	Size reduction of potent materials is necessary for one of the following quality control parameters in formulation of dosage forms.	
A	Hardness	
b	Friability	
c	Content uniformity	
D	Mixing	
4	Which theory states that the energy required for size reduction is directly proportional to the new surface area produced?	
a	Griffith's theory	
b	Rittinger's	
С	Kick's theory	
d	Bond's theory	
5	During size separation movement of particles can be enhanced by	
a	Agitation	
b	Attrition	
c	Gravitation	
d	Mixing	
6	Economy of multiple effect evaporator is given by the formula	
a	N unit of steam supplied / N units of vapour produced	
b	1 unit of steam supplied / N units of vapour produced	
С	N units of vapour produced / N unit of steam supplied	
d	N units of vapour produced / 1 unit of steam supplied	
7	Process of evaporation can be fastened by	
a	Increasing the boiling point of liquid feed	
b	Decreasing the boiling point of liquid feed	
С	Decreasing the surface area of evaporator	
d	Decrease the time of exposure of the liquid feed to heat	
8	In a shell and tube heat exchanger, baffles are provided on the shell side to	
a	Decreases coefficient of friction	
b	Decreases rate of heat transfer	
С	Prevent stagnation of shell side fluid	
d	Increase the cross-sectional path	
9	Radiation heat transfer is characterized by	
a	Movement of discrete packets of energy as electromagnetic waves	
b	Due to bulk fluid motion, there is a transport of energy	

IR@AIK	TC-KRRC	
	There is the circulation of fluid by buoyancy effects	
C	Thermal energy transfer as vibrational energy in the lattice structure of the	
	material	
10	Stripping area in distillatory refers to	
2		
b	Condensation of liquid	
(	Separation of components	
d	Evaporation of liquid	
11	Dry spots are formed during one of the following period?	
a	D' . D 11:	
b	Constant Rate period	
C	Initial Adjustment period	
d	Second falling period	
12		
a	Y'1 0 0	
b	Bacterial & viral cultures	
C	Lactose	
d	Serum	
13	The mixing of liquids at molecular level can be termed as:	
a	Bulk transport	
b		
С		
d	Molecular diffusion	
14	Turbulent mixing is a mechanism of mixing.	
a	Solid-solid mixing	$\neg$
b	Solid-liquid mixing	
С	Liquid-liquid mixing	
d	solids only	
15	One of the following equation gives the rate of filteration	
a	Darcy's equation	
b	Stoke's equation	
С	Vant - Hoff equation	
d	Einstein equation	$\neg$
16	The sequence of arrangement of plates and frames in filter press can be	
	given by dots as one of the following	
a	1.2.3.1.2.3.1.2	
b	3.2.1.3.2.1.3.2	
С	1.2.3.2.1.3.2.1	
d	1.2.3.2.1.2.3.2	
17	Centrifugal effect is	
a	F=G/C	
b	C = F/G	
С	G=F/C	
d	C=FG	
18	Which centrifuge causes considerable breakage of crystals during	$\neg$
	discharge	
a	Non-perforated basket centrifuge	$\exists$
b	Supercentrifuge	1
c	Semicontinuous horizontal centrifuge	-
d	Tubular bowl centrifuge	-
19	Which metal makes the steel corrosion resistant?	
a	Chromium and nickel	7
b	Copper and selenium	
c	Tantalum and molybdenum	-
	a manufacta cello litori occollenti	

. 20	Dry corrosion is also called as	
a	Oxidation corrosion	
b	Electrochemical corrosion	
С	Wet corrosion	
d	Chemical corrosion	
Q. 2 A	Answer any one question.	12
a	I. Describe the principle, construction and working of fluidized bed dryer	
	II. Explain Measurement of equilibrium moisture content	
b	I. What is corrosion? Explain different theories of corrosion.	
	II. Describe various types of iron as a material of construction	
Q. 2 B	Answer any four questions	48
a	I. State and explain laws governing size reduction	
	II. Compare and contrast the advantages and disadvantages of Pitot tube and	
	Rotameter	
b	I. Outline the principle, construction and working of horizontal tube	
	evaporator	
	II. Memorize the concept of heat transfer by convection and working of shell	
	and tube heat exchanger	
С	I. Give the basic principle, theory and application of molecular distillation	
	II. Explain the operation of bubble cap plate in fractional distillation	
d	I. Explain principle construction, working and uses of filterleaf.	
	II. Decribe principle construction, working and uses of perforated basket	
	centrifuge	
e	Explain factors affecting mixing and add a note on liquid mixing mechanisms	



NAVI MUMBAI - INDIA